

**OFFICE OF THE ADDITIONAL DIRECTOR GENERAL OF POLICE (F&ES)
MEGHALAYA :: SHILLONG**

NOTICE INVITING TENDER

Tender is invited for entering into rate contract for supply of Fire Fighting Equipments during the financial year 2013-14. Sealed Tender will be received upto 13.00 hrs on **21.10.2013** and open on the same day at 15.00 hrs in the office of the undersigned. Tenderer or authorized representative if willing are also invited to present during the proceeding of the tender opening. If the date happens to be a holiday, the next working day will be the date. Tender received after 13.00 hrs on the date above by hand or by post will summarily be rejected.

TERMS & CONDITIONS:-

1. Tenders paper must be accompanied with:-
 - (a) Affix non-refundable Court Fee Stamp of Rs 1000/ (Rupees one thousand) only.
 - (b) Earnest Money calculated at the rate of 2% of the total value of the items tendered. The Earnest Money as far as practicable should be in the form of any of the following:- (a) Deposit at Call. (b) Fixed Deposit (c) NSC/KVP from any Nationalised bank at Shillong, pledged in favour of the Addl Director General of Police (F&ES) Meghalaya, Shillong. Tenderer belonging to Scheduled Tribes/ Castes may deposit 50% (fifty percent) of the amount.
 - (c) Attested copy of V.A.T. Clearance Certificate & V.A.T. Registration Certificate should indicate that Fire Fighting Equipments is one of the item registered.
 - (d) Copy of recent passport size photograph of the Tenderer duly attested.
 - (e) Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
 - (f) Attested copy of Scheduled Tribes/Castes certificate in case of ST/SC or attested copy of Trading License (whoever is applicable) in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribal) Regulation, 1954 as amended from time to time.
 - (g) Authenticated copy of Dealership Certificate from the Manufacturer/Principal/Distributor specifically certifying that the tenderer is authorized to deal with fire fighting equipments quoted in the tender notice.
 - (h) On item where the tenderer have an existing and valid DGS&D rate contract, the authenticated copy of such rate contract may be furnished.
2. Tender received without the required papers/documents will automatically stand rejected.
3. An undertaking stating that the tenderer himself/herself is satisfied with the terms & conditions of the N.I.T. and agrees to abide by the same for this tender. In case of failure to submit the undertaking, the sealed tender will not be opened and will be returned back accordingly.
4. Rates should be:-
 - a) Quoted clearly in figure and in words. Correction if any shall bear the initial signature of the tenderer himself/herself alongside, otherwise tender will stand rejected. Overwriting if any will not be entertained.

- b) For 1(one) item-1(one) rate only. Same item with optional rates or optional quality of item with optional rates also will not be entertained.
 - c) Quoted F.O.R. destination, door delivery at Shillong.
 - d) Inclusive of all charges like custom duty, packing, insurance and other incidental charges. VAT should be quoted separately on taxable item as deduction of Tax at source will be effected accordingly on Firm's bill.
5. Tenders should be addressed to the undersigned by designation and not by name. The words "Tender for supply of Fire Fighting Equipments" must be super scribed on the sealed envelope containing the tender and stamp with the firm's seal on the body of envelop.
 6. Tender papers can be sent by post or deliver by hand.
 7. Tenderer are required to submit sample for item as indicated in the list enclosed at Annexure A. All samples submitted must clearly bear manufacturer's marking and specification, brand name etc wherever they are usually so marked and duly/properly attached with firm's label on each sample furnished.
 8. Tenderer willing to present himself/herself during the tender opening should bring with him/her the Firm's seal or Authorisation Letter with Firm's seal in case of representatives/ agents.
 9. If at the time of opening of tender, should there be any objection raised by the majority of the Tenderer/Representatives present as to the validity of any tender, the objection will be duly recorded and will be put up to the Purchase Board for consideration. The decision of the Purchase Board on such objections will be final and binding.
 10. Objection(s) if any should be done during the proceeding of the Tender Opening. Raising objection after completion of the proceeding will be treated as null & void and the undersigned/department is not bound to entertain such objections.
 11. Tenderer should be prepared to accept item wise rate approved by the department otherwise their Earnest Money may at the discretion of the undersigned be forfeited to the govt.
 12. Items indicated in the list enclosed at Annexure A are only illustrative and the undersigned/department may increase or decrease the quantity of the equipment or omit the item from the list to be purchased, depending upon the availability of fund.
 13. The undersigned reserve to himself the right to reject any or all tenders without prior notice nor assigning any reason thereof.
 14. The undersigned/department is not bound to accept the lowest rate.
 15. Earnest money of successful tenderer will be released only after he/she furnishes the security deposit in full and within the date and time fixed by the undersigned failing which the Earnest money may forfeit to the govt. Earnest money of un-successful tenderer(s) will be released after the selection of successful tenderer is finalised.
 16. Tenderer(s) may take note that all samples submitted by them are returnable and all un-approved samples should be collected by the tenderer from this office within 1 (one) month from the date of finalization of the tender, failing which the undersigned will not be held responsible for their safe custody or may dispose off without any compensation to the tenderer.

17. Successful tenderer will be intimated by a letter of acceptance. Till then, no tenderer has any right to assume that his/her tender has been accepted by the undersigned /Department. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderer in anticipation of acceptance letter.
18. Successful tenderer will be required to furnish a security deposit and execute a Contract Agreement to ensure fulfillment of the terms and conditions of the N.I.T. and supply of stores, which the successful tenderer/supplier usually have to enter into. Security Deposit will be held by the department free of interest and shall be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract.
19. Rate of Security Deposit: -
 - a) For contract upto Rs. 20,000/- 2% from locals and 3% from non-locals.
 - b) For contract upto Rs. 50,000/- 3% from locals and 4% from non-locals.
 - c) For contract upto r Rs. 1,00,000/- 4% from locals and 5% from non-locals.
 - d) For contract over Rs. 1,00,000/- 10% of the total amount (both local and non-local)
 - e) Schedule Tribes /Caste may deposit only 50% of the rates mentioned above.
20. The undersigned may rescind forthwith the contract in writing if successful tenderer/tenderers,
 - a) Assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
 - b) Tenderer or his agent/servant is found guilty of fraud in respect of this contract or any other contract.
 - c) Declines, neglects or delays to comply with the demand/requisition or in any other way fail to perform or observe any or all the conditions of the contract agreement.

In case of such rescission, the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from such tenderer (s) any extra expenses that may deem necessary in obtaining the supplies from elsewhere.
21. In the event the successful tenderer failing to perform from his/her part, any or all the conditions of the Contract to the satisfaction of the department or disregarding any term and condition of this Notice Inviting Tender or the Contract Agreement, such tenderer will be liable to any or all of the following actions at the discretion of the Addl Director General of Police (F&ES), Shillong.
 - i. Forfeiture of the security deposit in whole or part.
 - ii. Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
 - iii. Cancellation of the contract without any prior notice.
22. If the successful tenderer willfully neglect, fails to perform or observe any condition of the Contract Agreement or Notice Inviting Tender or attempts to cheat or indulge in foul practices, the department may impose a ban upon such tenderer (s) for future businesses with the Department.
23. Once the rate offered in the tender is accepted, no enhancement of rates will be allowed under any circumstances and the tenderer will be liable to supply at the rate accepted by the department. Failure to make the supplies at the accepted rates will entail cancellation of Contract Agreement and the Security deposit will be forfeited with the Government.
24. Once the sample is approved, no change of brand name, shape, pattern, quality or specification will be entertained even on the plea of non-availability of raw materials or alternative offers of similar quality.
25. The stores supplied must be of the same specification, weight and quality as per tendered sample. Tenderer will have to furnish the counter samples within two weeks of receipt of intimation

regarding acceptance of tender. Failure to submit counter samples in time as per the specification of the approved sample will entail cancellation of the offer and forfeiture of Earnest Money/Security Deposit.

26. Delivery shall be completed within 90 (ninety) days from the date of receipt of Requisition/Supply Order. No extension of delivery period will be entertained. If for any genuine reason, extension of delivery period is required, an application for the same shall be submitted to the undersigned well in time after receiving the supply order and not later than the date fixed for completion of supply. Application received after the stipulated date (delivery period) will not be considered. The stores received after the stipulated date may at the discretion of the undersigned liable for imposition of a penalty (fine) at the rate of 0.10% for every day but not exceeding 1% on the total amount of the supply order.
27. Warranty period of the equipments shall be indicated along with after Sales Service facilities by Successful tenderer/tenderers.
28. Payment will be made to the suppliers directly on completion of supplies and on correct receipt of goods by the respective consignee. Documents /Vouchers/R.Rs bill etc routed through banks will not be accepted. Consignments will be dispatched by the successful tenderer after payment of all freight charges at source. Freight to pay R.Rs will not be accepted.
29. Risk of transportation will be borne by the successful tenderer.

Sd/-
(M.R Vijaya Kumar, IPS),
Addl. Director General of Police (F&ES),
Meghalaya, Shillong.

Memo No FPM-12/8/2019-14/13-A

Dated Shillong, the 20th September, 2013.

ANNEXURE A**NAME AND NUMBER OF FIRE FIGHTING EQUIPMENTS FOR PROCUREMENT DURING THE YEAR 2013-14.**

Sl No	Name of equipments	Quantity (Appr)	Remarks/Specification
1.	Delivery hose	200 Nos.	<p>a) Smooth inner unified lining of specially formulated polymer with high tenacity synthetic fiber, circular woven seamless re-reinforcement, totally encapsulated in all specially formulated polymer, extruded, ribbed cover.</p> <p>b) 63 mm. dia. (2 ½ “), 22.5 meters in length with Gunmetal (Male & Female) couplings banded at both end with copper wire.</p> <p>Sample in cut piece with coupling should be submitted.</p>
2.	Metal strainer 4” dia	30 Nos.	Sample should be submitted
3.	Floating pump	10 Nos.	<p>a. Self suction ability.</p> <p>b. Ability to pump out to the level of 1 cm.</p> <p>c. Unsinkable glass-fibre float fitted with heavy-duty polyurethane foam.</p> <p>d. Modern float shape gives high displacement ensured by low draught.</p> <p>e. Can operate with highly wasted water.</p> <p>f. Engine equipped with automatic revolutions controller maintaining its set working capacity.</p> <p>g. Graphics Ceramic mechanical seal.</p> <p>h. Dry work possibility.</p> <p>i. Dimensions – 765 X 630 X 430 mm.</p> <p>j. Weight – 26 Kg. or as minimum as possible.</p> <p>k. Maximum performance – 1200 litres per minute.</p> <p>l. Maximum water throw range – 30 metres.</p> <p>m. Raising head to – 30 metres of the column of water.</p> <p>n. Pressing root storz type – 75.</p> <p>o. Drought – 7 Cm.</p> <p>p. Frame and Rotor – Made of Alluminium.</p> <p>q. Horse Power of engine – 4 KW.</p> <p>r. Rotations – 3600 Rotation Per Minute.</p> <p>s. Fuel consumption – as low as possible.</p> <p>t. Fuel – Petrol.</p> <p>u. Tank capacity – 2 litres</p> <p>v. Engine oil – Mobil.</p> <p>w. Starting – manual</p> <p>Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments.</p>

4.	Diving Suit (wet type) with Under water Breathing Apparatus Set and 1 (one) extra Cylinder each sets.	2 sets	<p>The Complete under water diving suit will comprise of the dive Suit with accessories and the Under Water Breathing apparatus. The wet suit shall be made up of 7 mm Neoprene and should come in either a two piece design, viz, lagging (farmer John) and jacket with attached hood closed by a convenient face zipper with wrist ankle and face seal and water tight. The suit shall be supplied complete with a pair of fine fingered heat reflecting Neoprene gloves and a pair of Boots which are comfortable & heat reflecting with 5 mm Neoprene lining, non slip soles and Nylon side Zipper along with Fins(Poly Propylene Rubber) Open Heel type.</p> <p>The Under water Breathing apparatus set must be supplied complete with a full face mask designed for under water utilization for emergency, commercial and technical uses. The mask should have a wide view vision visor and the shape allows even for use of spectacles for the wearer. The Visor shall be made up of transparent poly carbonate with the optical part wider and closer to the face to maximize the visual field, particularly the peripheral area. The head harness should have 6 (six) straps all directly attached to the face shield in a design that allows the pressure to be transmitted uniformly along the mask skirt. Air circulation in the mask minimizes fogging of the lenses and reduces the amount of Carbon Mono oxide and carbon dioxide built up in the inhaled air. The face mask should have an integrated second stage Regulator and connected to the 1st stage via a breather hose. The 1st stage regulator will have 4 LP and 2 HP Ports and will come with DIN fittings. The set must be supplied with a pressure Gauge, which can be connected to the 1st stage of the regulator to check the pressure of air in the cylinder. The set will also include alloy steel DIVE TANK (Twin Tank) which will have a water volume of 2x10 liters and is designed to operate at 200 Bar pressure. The set will also include a BUOYANCY COMPENSATOR TWIN TANK BACK PLATE with adjustable reinforced shoulder straps, quick release buckles, tank harness that can be adjusted to hold the twin tank and with non-slip internal support.</p> <p>The sets must be supplied along with Instrument i.e. (i) Depth gauge in corporate with pressure with pressure gauge (ii) Compass (wrist type) and Accessories i.e. (i) Search & Rescue Dive Light dual Beam Halogen Head lamp with three light levels with Industrial grade rechargeable 13.2 volt , 4.5 Ah NiMH Battery should include Head Mount with heavy duty mounting clip rated to 500 feet below water weight not more than 4 Lbs., Burn time should be 3 hours at 12 Watts, 2 hours at 20 Watts, and 1.15 hours at 32 watts. Weight belt with SS buckles, and two numbers 2 KGs H type lead weight.</p> <p><u>NB:-</u> (i) Operation manual and kits must be supplied. (ii) At least 2 pairs/nos of consumable spare parts i.e.(i)'O' ring of cylinder (ii) Head harness / straps / Diaphragm of Regulator etc must be supplied.</p> <p>Catalogue/Literature must be submitted</p>
----	---	--------	---

5.	Multipurpose Nozzle	80 Nos.	Operational friendly with a pistol grip. The construction should be of Light Alloy construction and hard Anodized for prevention of abrasion and corrosion. The Flow Rate should be 50 – 210 GPM with selectable detent output. The flow pattern should be of straight stream to dense, and should have fog pattern with molded rubber bumper with power fog teeth. The output pattern setting should have stream jet, water curtain, and spray fog. The system should have a automatic pressure regulating system of 100 PSI standard pressure and Emergency Low Pressure. The supply connection should be of 63 mm male instantaneous connection with strong pistol type grip It shall have a shut off valve with flow diversion for the fog water way operating at even low pressure like 3 – 4bar.The lancing distance should not be less than 40 – 50 meter with effective jet. Catalogue/Literature of the equipments be submitted
6.	Short branch pipe	50 Nos.	Gun metal, ISI Marked confirming IS No. : 903. Catalogue/Literature & Sample should be submitted
7.	Bolt cutter	30 Nos.	For Heavy duty. Catalog/Literature with its specification, working instruction if any, should be furnished
8.	Co2 Extinguisher 4.5 kg	50 Nos.	Catalogue / Literature & Sample should be submitted
9.	ABC dry Powder Extinguisher 5kg	50 Nos.	Catalogue / Literature & Sample should be submitted
10.	Fireman axe with pouch & belt.	150 sets.	Fireman Axe - Insulated Handle, tested upto 20,000 volts, Belt and pouch - made of superior water repellent leather with double size buckle. Sample should be submitted
11.	FB 5X with pick up tube	35 Nos.	Catalogue / Literature & Sample should be submitted
12.	Aqua Foam Nozzle with pick up tube	10 Nos.	Catalogue / Literature & Sample should be submitted
13.	Rescue line/ Nylon Rope	70 rolls	1 ½ " (inch) circumference, 100 feet in length super fine quality Nylon Rope. Sample in cut piece be submitted.