GOVERNMENT OF MEGHALAYA

OFFICE OF THE DIRECTOR GENERAL OF POLICE MEGHALAYA<><>SHILLONG.

TENDER NOTICE

Subject: Tender for Procurement of Clothing/Uniform items for the Meghalaya Police for the year 2018-2019.

The Director General of Police, Meghalaya, Shillong invites Sealed Tenders affixing non-refundable Court Fee Stamp as under:-

Where the Tender Value:-

- (a) Not exceeding Rs. 5,000/-= Rs. 25/- only.
- (b) Exceeding Rs. 5,000/- but not exceeding Rs. 50,000/- = Rs. 50/- only.
- (c) Exceeding Rs. 50,000/- but not exceeding Rs. 1,00,000/-= Rs. 100/- only.
- (d) Exceeding Rs. 1, 00,000/- but not exceeding Rs. 5, 00,000/- = Rs. 200/- only.
- (e) Exceeding Rs. 5, 00,000/- but not exceeding Rs. 15, 00,000/- = Rs. 300/- only.
- (f) Exceeding Rs. 15, 00,000/- but not exceeding Rs. 25, 00,000/- Rs. 400/- only.
- (g) Exceeding Rs. 25, 00,000/- but not exceeding Rs. 1, 00, 00,000/- = Rs. 1000/- only.

For entering into rates contract for supply of clothing / uniform items to Meghalaya Police Personnel for the year 2018– 2019 from manufacturers, authorized agents and dealers. Sealed Tender accompanied with Sealed Samples of individual items quoted will be received up-to 1100 hrs on 26th Feb,2019 and will be opened on the same day at 1300 hrs. Tenderers or their authorized representatives may remain present at the time of opening of tenders. Tenders/Samples received after 1100 hrs by hand or post will stand automatically rejected. Sealed Tender should be dropped in the Tender Box of this office.

1. Tenderers should quote specific rates for each item. Tenders must be accompanied by Earnest money at a lump sum amount of Rs. 4,00,000 (Rupees four lakh) only. The Earnest money preferably should be in the form of Deposit at Call duly pledged in favour of the Asstt. Inspector General of Police (A), Meghalaya, Shillong. Earnest money in any other recognized forms like the National Saving Certificate and Fixed Deposit Receipt are also acceptable provided they are duly pledged in favour of the Asstt. Inspector General of Police (A), Meghalaya, Shillong. Contractors belonging to Scheduled Caste/Scheduled Tribes and others are required to deposit half of the Earnest Money as indicated above. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for this tender. Further, no tenderer is exempted from the requirement of depositing Earnest Money on any ground.

- 2. Rates should be quoted F.O.R (Freight of rail) destination at all District/Organisation Headquarters and should be inclusive of all charges like packing insurance and other incidental charges. Rates quoted should be clearly and neatly written in figures as well as in words. All correction/cancellation must be initialed, otherwise tender will stand rejected. GST should be quoted separately on taxable items as deduction of Tax at Source will be effected accordingly on Firm's bills.
- 3. Tenders should be addressed to the undersigned by designation and not by name, the Sealed envelope containing the tender should be superscribed as "Tender of Clothing and Equipment for Police Personnel during 2018 2019" and be posted under registered cover or sent through messenger.
- 4. On items where the tenders have an existing and valid rate contract with DGS & D, the authenticated copy of such rate contract may be furnished along with the Tender. On items where rates quoted are as per ISI marked quality, I.S.I number/year along with copy of valid licence should be furnished.
- 5. All the relevant documents/ certificate pertaining to GST rules Viz. GST Registration Certificate/ GST rate of the items quoted. & Tax Clearance Certificate.
- 6. Attested copy of valid Trading License from District Council Authority of Meghalaya in case of non-tribal firms/suppliers should be furnished along with the Tender.
- 7. An attested copy of Photograph of the Tenderer should be submitted along with Tender.
- 8. An undertaking should be furnished that the supply/work will be done by the contractor/tenderer himself/herself.
- 9. A latest Financial Stability Certificate from the Deputy Commissioner, 1st Class Magistrate or of a Schedule Bank certifying that the firm/supplier is capable to undertake the supply should be submitted along with the tender.

10. Tenderers should submit only 1 (one) samples for each item.

- 11. Tenderers are required to submit samples for items quoted. All Samples submitted must clearly bear manufacturer's marking and specification, brand name, etc alongwith the firm's label attached on each sample
- 12. Those tenderers who are authorized Agent/Dealers of the Principal Manufacturers may submit authorized dealership Certificate.
- 13. The risk on transport will have to be borne by the suppliers themselves.
- 14. The Tenderers should be prepared to accept item-wise rates approved by the Department otherwise their Earnest Money may be forfeited.
- 15. The Director General of Police, Meghalaya, Shillong is not bound to accept the lowest tendered rates.

- 16. The undersigned reserves the right to cancel the NIT floated or rejects any tenderers without assigning any reasons thereof.
- 17. Any dispute arising out of the terms & conditions of a contract agreement shall be within the jurisdiction of the courts of Meghalaya.
- 18. If at the time of opening of Tender, should there be any objection raised by the Tenderers/Representatives present as to the validity of any tender, the objection will be duly recorded and will be put up to the Purchase Board for consideration. The decision of the Purchase Board on such objection will be final and binding.
- 19. The successful tenderers will be intimated by a letter of acceptance by the Asstt. Inspector General of Police (A). Till then, no tenderer has any right to assume that his/her tenders has been accepted.
- 20. (A) In the event of contractor's failing to perform his/her part of the contract to the satisfaction of the Department or disregard any terms or conditions of the Tender Notice or the Contract Agreemenikt, the contractor shall be liable to all or any of the following action:
 - i) Forfeiture of Security Deposit in whole/part.
 - ii) Making good the loss caused to the Government through the inability, neglect or delaying to comply with the demand.
 - iii) Imposition of penalty (fine) in case of failure to make the supply within the stipulated time at the rate of 0.50% on the total amount of supply ordered for everyday not exceeding 2 weeks that he shall exceed his time either for the total supply or value of item(s) ordered for, and for liquidated damages.
 - iv) Cancellation of the contract without any prior notice of the contractor/supplier.
 - (B) All losses sustained by the Government due to failure, omission of neglect of the contractor may be realized from his/her Security Deposit and outstanding dues or any other sums which may be due to him/her from the respective Controlling Officer.
- 21. If the contractor/firm willfully neglects, fail to perform or observe any conditions of contract, or attempt to cheat or indulge in mal practice, the Director General of Police, Meghalaya may take necessary action to impose ban upon such contractors/firms for the future business with this Department.
- 22. Successful tenderer will be required to furnish a Security Deposit and execute Contract Agreement to ensure fulfillment of the terms & conditions of the Contract which the successful tenderers will have to enter into. The Security Deposit will be held by the Department free of interest and the deposit shall be subjected to forfeiture in case of non-fulfillment of any of the terms and conditions of the Contract.

The Earnest Money of successful tenderer will be released only after he/she furnishes the full Security Deposit within the time fixed by the Department for the purpose failing which, the Earnest Money may be forfeited to the Government.

Earnest Money of unsuccessful tenderers will be released by the Department after the selection process of successful tenderers is finalized.

23. Tenders not accompanied with all the required papers/documents or not fulfilling the terms& conditions will automatically stand rejected.

The following are the rates of Security Deposit:-

- For Contract upto Rs. 20,000/-, 5% from tribal contractor and 6% from non-tribal Contractor.
- For Contract upto Rs. 50,000/-, 10% from tribal contractor and 11% from non-tribal Contractor.
- For Contract upto Rs. 1, 00,000/-, 10% from tribal contractor and 11% from non-tribal Contractor.
- For Contract over Rs. 1, 00,000/-, 20% for all categories.
- 24. Once the rates offered in the tenders are accepted, no enhancement of rates will be accepted under any circumstances and the tenderer will be liable to supply at the rates approved and accepted by the Director General of Police, Meghalaya. Failure to make the supplies at the approved and accepted rates will entail cancellation of Contract Agreement and the Security Money will be forfeited to Government.
- 25. Once the Sample is approved, no change of brand name, shade pattern, quality or specification will be entertained even on the plea of non-availability of raw materials or alternative offers of similar quality.
- 26. The stores supplied must be of the same specification, weight, brand and quality as per tendered samples. Tenderers will have to furnish the counter samples within 2 (two) weeks of receipt of intimation regarding acceptance of tender. Failure to submit counter-samples in time as per the specification of the approved sample will entail cancellation of offer and forfeiture of Earnest Money/ Security Deposit.
- 27. (A) Delivery shall have to be completed within 8 (eight) weeks from the date of receipt of supply orders. No extension of delivery period will be entertained beyond the stipulated period unless the approved supplier submits irrefutable grounds for extension and delivery. In case of the plea that the approved items are no longer manufactured for which the supply cannot be made, an authenticated certificate in original from the concerned manufacturer should be furnished. No computer generated documents/certificate will be accepted.
 - (B) The application for extension of time must be submitted to this office in time after receiving the firm order, and not later than the date fixed for completion of the supply. Applications for extension of time received after the stipulated time will not be considered.
- 28. Payment will be made to the suppliers directly on completion of supplies and on correct receipt of goods by the respective consignee. Documents/Vouchers/R.Rs bill

- etc., routed through Banks will not be accepted. Consignments will be dispatched by the Firm after payment of all freight charges at source. Freight to pay 'R.Rs' will not be accepted.
- 29. Tax at source will be deducted as per rate applicable from Firm's bill by the District/Unit/Organization offices concerned.
- 30. Tenderers may note that all Samples (un-approved) submitted by them are returnable. The Samples should be collected by the tenderers at their own cost and risk from this office failing which the Samples will be forfeited to Government. If the un-approved Samples are not collected by the unsuccessful tenderers within 1 (one) month of finalization of the tender by the Departmental Purchase Board, the same will be disposed of by the Department without any compensation to the unsuccessful tenderers.

31. List of items & Specifications at Annexure -A

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

Letter No. MS/III-1/2018-2019/132 -A

Dated Shillong the 5th Feb,2019

Copy forwarded to:-

- 1. The Addl. Director General of Police (L&O) /(Hqr) Meghalaya, Shillong for favour of kind information
- 2. The Secretary to the Government of Meghalaya, Home (Police) Department, Shillong for favour of kind information.
- 3. The Inspector General of Police, (Hqr), Meghalaya, Shillong for favour of information
- 4. The Dy. Inspector General of Police, (ER), Meghalaya, Shillong/ (WR), Meghalaya Tura for information.
- 5. The Deputy Commissioner, East Khasi Hills, Shillong/West Garo Hills, Tura/West Khasi Hills, Nongstoin/West Jaintia Hills, Jowai/Ri-Bhoi, Nongpoh/East Garo Hills, Williamnagar/South Garo Hills, Baghmara/South West Khasi Hills, Mawkyrwat/North Garo Hills, Resubelpara/East Jaintia Hills, Khliehriat/South West Garo Hills, Ampati.
- 6. The Superintendent of Police (C) MPRO, Meghalaya, Shillong.
- 7. The Superintendent of Police, East Khasi Hills, Shillong/West Garo Hills, Tura/West Khasi Hills, Nongstoin/West Jaintia Hills, Jowai/Ri-Bhoi, Nongpoh/East Garo Hills, Williamnagar/South Garo Hills, Baghmara / (F&ES), Meghalaya, Shillong/ South West Khasi Hills, Mawkyrwat/North Garo Hills, Resubelpara/East Jaintia Hills, Khliehriat/South West Garo Hills, Ampati/ Infil, Meghalaya, Shillong/ SP. Anti Infiltration Directorate, Meghalaya, Shillong/SP. (SCRB), Meghalaya, Shillong.
- 8. The Spl. Superintendent of Police, (SB), Meghalaya, Shillong.

- 9. The SSP (CID), Meghalaya, Shillong with a soft copy containing the Tender Notice for uploading the same in the Website of Meghalaya Police.
- 10. The Principal, PTS, Meghalaya, Shillong.
- 11. The Commandants 1st MLP Bn., Mawiong, Shillong / 2nd MLP Bn., Goeragre, Tura / 3rd MLP Bn., (IRBN), Sahbsein / Vikaspuri, New Delhi/ 4th MLP Bn., (IRBN), Sohpian, Nongstoin /5th MLP Bn., Samgong Williamnagar/ 6th MLP Bn. (IRBN) Shillong /SF-10 Meghalaya, Shillong.
- 12. The Reserve Officer, Office of the DGP, Meghalaya, Shillong.
- 13. The Director of Printing & Stationery Department, Shillong alongwith a soft copy for publication in 2 (two) consecutive issue of the Meghalaya Gazette.
- 14. The Director of Information & Public Relation, Meghalaya, Shillong alongwith a soft copy with a request to take necessary action from your end for publication in 2 (two) Newspapers (one impression) in English and in Khasi each of the **List given below:-**

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

GOVERNMENT OF MEGHALAYA

OFFICE OF THE DIRECTOR GENERAL OF POLICE MEGHALAYA<>>SHILLONG

TENDER NOTICE

Sealed Tender for Supply of Clothing items are invited for Meghalaya Police Personnel/VDP for the year 2018 – 2019 will be received by the Asstt. Inspector General of Police,(Admn), Meghalaya, Shillong upto 1100 hrs on 26th Feb,2019 and will be opened on the same day at 1300 hrs. For detailed information, please contact Asstt. Inspector General of Police (Admn), Meghalaya, Shillong during office hours.

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

Slno	Items	1MLP	2MLP	3MLP	4MLP	5MLP	6MLP	SF-10	SP EKH	SP WJH	SP Ri-Bhoi	SP WGH	SP EGH	SP SGH	SP SWKH	SP NGH	SP EJH	SP SWGH	MPRO	F&ES	PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)	PHQ	SCRB/CID/ ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29]
1	Ammunition Pouch.		500		500				1500							52		140									2692	Nos.
2	Badge - Cap Badge (MLP/1MLP/2MLP/3MLP/4MLP/5MLP/6MLP/MP RO/MFES/SF-10)	104			800	920	200		2000	402	200		50	400	50	50	100	180									5456	Nos.
3	Badge - Title Shoulder Badge (MLP/1ML/2MLP/3MLP/4MLP/5MLP/6MLP/MPR O/MFES/SF-10				800	920	200	1135	2800	402	200		50	400	50	120	90	230									7397	Pair
4	Belt - Black leather for MFES/Traffic.								600									20									620	Nos.
5	Belt - White leather for Traffic.								600		50										6						656	Nos.
6	Belt - Brown Leather Cross Belt with Buckles	28			40		30				25		50			20	15	30			10						248	Nos.
7	Belt - Brown Leather for ASI/Hav/Const with Buckles			22						402				400	65	121		80			20						1110	Nos.
8	Belt - Brown Leather for officers with Buckles	40			60		30	170			25		50	60	15	21	20	30						57			578	Nos.
9	Belt - Black Belt Nylon		700	150	916		780	1186																			3732	Nos.
10	Beret Cap - Wollen Black							991																			991	Nos.
11	Beret Cap - Wollen Red.												50			15		35									100	Nos.
12	Beret Cap - Woollen Green								1500	249	180	555		200		10		55						170			2919	Nos.
13	Beret Cap - Woollen Khaki	450	1000	650	916	920	360			153	225	884	150	400		100	60	65			30			33			6396	Nos.
14	Blanket - Woollen Black	192	1200	2000	1832	3000		3558					100			120		150	413	309	130						13004	Nos.
15	Boot - Black Ammunition							446				760															1206	Pair
16	Boot - Brown for Officers			50		45		170	110	47		83	40	60		20		50		13				65	9	50	812	Pair
17	Boot - fire fighting Gum Boots with Steel toe																			517							517	pair

			_	_		ILIA							I FIAI						LUI	_								
Slno	Items		2MLP		4MLP	5MLP			SP EKH		SP Ri-Bhoi							SP SWGH			PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)		SCRB/CID/ ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	
18	Boot - Gum Boots (Black) for Traffic/F&ES												150			50											200	Pair
19	Boot - Hunting Boot	847	1024	600	916	920	500	1186								120		150			70						6333	Pair
20	Boot - Ammunition Boot (Rubber Sole)	502	1500	600		1716		1100		302	300	760	200	200	40	70		100		394				170	12		7966	Pair
21	Boot - Ammunition Boot (Rubber Sole) Long	202			800		545																				1547	Pair
22	Button big for great coat			2000			1000																				3000	Pkts.
23	Button small for great coat			4000			1000																				5000	Pkts.
24	Button - khaki for Shirt	50		100								5368															5518	Pkts.
25	Button - Khaki for trouser	5										8052															8057	Pkts.
26	Button - Nylon for Trouser/Shirt	50				618	15					100															783	Pkts.
27	Bayonet frog			150			50																				200	Nos.
28	Bag Pack for carrying Protective equipment																			345							345	Nos.
29	Cap Comforter (Khaki)	847	1024		916	600	350																				3737	Nos.
30	Cloth - Camouflage cloth		3500			2000		3730				220															9450	Mtrs.
31	Cloth - Angola	268	3000	1000	2500	4750					700	595		2000		100	200	800		284				243			16440	Mtrs.
32	Cloth - Cellular Cloth Khaki	813	1200	1000	1300	4750	300			804	520	1563		2000						1111				393			15754	Mtrs.
33	Cloth - Drill Cloth Khaki	684	1200	1500	1300	3700	300			603	400	2429		2000						1141				154			15411	Mtrs.
34	Cloth - overall Flame resistense Dungree															45		200		513							758	Mtrs.

Slno	Items		2MLP		4MLP				SP EKH	SP WJH								SP SWGH		F&ES	PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)	PHQ	ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	-
35	Cloth - Great Coat Cloth Khaki			1300	916				3000					100				800						383			6499	Mtrs.
36	Cloth - Long Cloth Khaki	325	1000	2000	400	1500	300		500			3468															9493	Mtrs.
37	Mosquito Netting Khaki	379	500	285		964						285		400		100		200		165	71						3349	Nos.
38	Cloth - Mosquito Netting Tape Khaki			5000		6600					1000					100											12700	Roll
39	Cloth - Mosquito Netting Cloth White																					170					170	Mtrs.
40	Cloth - Mosquito Netting Tape White																					952.5					952.5	Roll
41	Cloth - Long Cloth White											50															50	Mtrs.
42	Cloth - Serge Cloth Khaki	678		1069	800	3700	1000								60					548				177	50		8082	Mtrs.
43	Cloth - Terry Cot. Coat Cloth (Assorted Colour)																					620.5	230.3				850.8	Mtrs.
44	Cloth - Terry Cot. Pant Cloth (Assorted Colour)																					744	232				976	Mtrs.
45	Cloth - Terry Cot. Shirt Cloth (Assorted Colour)																						1240	532			1772	Mtrs.
46	Cloth - Terry Cotton Black.							4950	1500			100															6550	Mtrs.
47	Cloth - Terry Cotton Cloth Khaki	385		1000	2700	8450		500		1206		2321		2000		500		800		505	250			683	84		21384	Mtrs.
48	Cloth - serge cloth Blue.								1000	300						25											1325	Mtrs.
49	Cloth - cloth Blue for Blazer																						120.5	212.3			332.8	Mtrs.
50	Cloth - White Terry cotton cloth						150			300		300															750	Mtrs.
51	F.S. Hat Khaki	847		600	916	920		1186																			4469	Nos.

Slno	Items		2MLP		4MLP				SP EKH	SP WJH								SP SWGH			PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)		ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	
52	Ground Sheet		800	200		920	300	746					250			55		150	489								3910	Nos.
53	Hand Cuff (New Model)													400													400	Nos.
54	Hackles Red & Blue	1823			916	860	800																				4399	Nos.
55	Halmet for F&ES															15											15	Nos.
56	Hand Gloves - Woolen (khaki)	1044	720		916		780	1186					300								70						5016	Pair
57	Hand Gloves White for Traffic								600																		600	Pair
58	Hand Towel	1694	4000	2000	1832	1830	1200	2372					250					360			130						15668	Nos.
59	Holster - Brown Leather											20															20	Nos.
60	Jersey - Officers 'V' Neck Jersey Khaki	40	50				25	170	200			83		60		20		30		23				57			758	Nos.
61	Jersey - Wollen jersey Blue (traffic)								600																		600	Nos.
62	Jersey - Wollen Jersey Black							1047												416							1463	Nos.
63	Jersey - Woolen Jersey Khaki				916						300	721	100			120					70			170			2397	Nos.
64	Jersey - Woolen Jersey Pullover Khaki	819	520	800		860	550		2000					400				200	372						7		6528	Nos.
65	Jersey - Woollen Jersey (Assorted Colour)																					269	101				370	Nos.
66	Kit Bag (Khaki)	210	880	700	916	930	200											200									4036	Nos.
67	Line Bedding	325	1024	800	916	920	1000	1186										200									6371	Nos.
68	Monkey Cap												200														200	Nos.

			_	_		ILIA			<u> </u>						/IX I I I I I				LUI									_
Slno	Items	1MLP	2MLP		4MLP	5MLP			SP EKH		SP Ri-Bhoi							SP SWGH			PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)		SCRB/CID/ ACB	Total Qty.	_
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	
69	Neck Tie (plain grey)																						204				204	Nos.
70	Peak Cap - Khaki Serge Peak Cap for MPRO/F&ES/ASI						20													24							44	Nos.
71	Peak Cap - SI / Inspectors	20	30		30		30	170					40	60		20	20	30		21	14			57			542	Nos.
72	Pull Through Cord Insas Rifle	88																									88	Nos.
73	Pull Through Cord	105										20															125	Nos.
74	Pull Through Cord with weight single						50																				50	Nos.
75	Ribbon - Red & Blue						10		200				2	100		15											327	Mtrs
76	Rifle Oil Bottle	208																									208	Nos.
77	Rifle Chain	99																									99	Nos.
78	Red - Sash silken	130												200		6											336	Nos.
79	Reflective Jacket/Vest fire resistance for F&es																			219							219	Nos.
80	Reflective Jacket/Vest(Blue for traffic)								600																		600	Nos.
81	Shoe - Black Shoe Civil/WP (plain)	84							200	30	25											365	139			114	957	Pair
82	Shoe - Brown Shoe (Civil) for Officer(plain with rib toe)	30	50	40					200	47	65	83	50			21									9		595	Pair
83	Shoe - Canvas Brown	819		900	916	1830		1047			250	683	200	400				150	282	416				88	12		7993	Pair
84	Shoe - Canvas White	12	50	50	60		50	170			75	100		60		20			66	20					15		748	Pair
85	Shoe - Driver Rubber Sole (Black)								150																		150	Pair

Slno	Items		2MLP		4MLP				SP EKH		SP Ri-Bhoi							SP SWGH			PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)		ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	4
86	Sleeping Bag.	104		670	220	250	100		2500											397							4241	Nos.
87	Sling - AK-47 Rifle.	672			916												20										1608	Nos.
88	Sling - Rifle.Khaki (Web)	305			800		100		2500			100															3805	Nos.
89	Sling - Carbine/Stengun	258			200																						458	Nos.
90	Sling - SLR/Insas	874			916	920		1186									40										3936	Nos.
91	Socks -Organic Socks							600																			600	Pair
92	Socks - Khaki Nylon Socks	1497	1024								50	100	50	60		20			18	46	130	620	303	114	18		4050	Pair
93	Socks - White Socks for officers		80	50	120		100					100						50							18		518	Pair
94	Socks - Woolen Khaki		600	1000	1832	1716	1000		5000	402	640		250			120		360	360	988	130			340	30		14768	Pair
95	Star - 5 Pointed	45			150	50		480						100		44					20						889	pair
96	Steel - Kit box 30x16x12 Size for all ranks				200	920				392			150	400		25		100	200					42			2429	Nos.
97	Tactical Jacket							460				50															510	Nos.
98	Thread - Sewing for Terry Cotton Reel 150mtr/reel White								200			10															210	Reel
99	Thread - Sewing for Terry Cotton Reel 150mtr/reel khaki	3023		1000		5000	800		250			1000		800					688								12561	Reel
100	Unit Insignia (logo)							1186																			1186	Nos.
101	Umbrella folding																									112	112	Nos.
102	Vest - Multipurpose Tactical Vest	1044																									1044	Nos.

Slno	Items		2MLP		4MLP				SP EKH		SP Ri-Bhoi							SP SWGH			PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)		ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	4
103	Vest Cotton White	1788	4000	1200	1832	1730	900	2372					300			120		360			130						14732	Nos.
104	Warm Jacket Khaki for Officer	40									50		50			20					10						170	Nos.
105	Warm Jacket Khaki for AB/HAV	612			916						125		200			120					20						1993	Nos.
106	Water Bottle with Carrier.	210			700	920	100	985																			2915	Nos.
107	Water proof coat with head cover - Khaki for AB/HAV	261		700	300	920	550	1186	2200		400			200		120		200			20			239			7296	Nos.
108	Web - Anklet Web Khaki Pair	325			916	920																					2161	Pair
109	Web - Belt Khaki	491			800	920	100																				2311	Nos.
110	Web HSS Left & Right (pair)	248					100																				348	Pair
111	Web - Haver Sack (Khaki)	522				920																					1442	Nos.
112	Web Basic Pouch (Khaki) Left/right	511				920																					1431	Nos.
113	Web Pack Strap L/R (pair)			700	916																						1616	Nos.
114	Web Bracess Left & Right (pair)					1840																					1840	Pair
115	Web Pack (Khaki)	522																									522	Nos.
116	Whistle Thunder	104			700	920	800		2500					400		100											5524	Nos.
117	Whistle Cord Black							730										40		517							1287	Nos.
118	Whistle Cord Blue								1500		180	241	150		40	15		75						340			2541	Nos.
119	Whistle Cord Khaki.								1200	402	225		50	400				65	326		50			31			2749	Nos.

Slno	Items	1MLP	2MLP	3MLP	4MLP	5MLP	6MLP	SF-10	SP EKH	SP WJH	SP Ri-Bhoi	SP WGH	SP EGH	SP SGH	SP SWKH	SP NGH	SP EJH	SP SWGH	MPRO	F&ES	PTS	SB	SB (SECURITY WING)	SB (Dic, Anti-Infil)	PHQ	SCRB/CID/ ACB	Total Qty.	
1	2	3	4	5	6	7	8	9		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29]
120	Whistle Cord Red.	650	725	1000	916	920																					4211	Nos.
121	Woolen Thermal Inner Wear																								500		500	Nos.
122	Zippered Holdall.		500	617																		·					1117	Nos.

Annexure -A

Sl No	ITEMS	Specifications
1	Ammunition Pouch.	Pouches Ammunition BSF Style (Spares for Synthetic Web Equipment-Improved Version) Conforming to
		Specification No. DMSRDE/T&GS/99 /440(a) & as per Drawing No.23849A, 23849B, 23849C &23849D
2	Badge - Cap Badge	Material of NameplateStainless Steel
	(MLP/1MLP/2MLP/3MLP/4MLP/5	Base Material-No Base
	MLP/6MLP/MPRO/	Mounting*Hanging
	MFES/SF-10)	Size of Nameplate (cm x cm)10X20
		Thickness of Nameplate (mm)5
		Type of Lettering-Mounted Letter
3	Badge - Title Shoulder Badge	Material of Nameplate Stainless Steel
	(MLP/1ML/2MLP/3MLP/4MLP/5M	Base Material No Base
	LP/6MLP/MPRO/MFES/ SF-10	Mounting Through Studs
		Size of Nameplate (cm x cm) 10X20
		Thickness of Nameplate (mm) 8
		Type of Lettering Engraved
		Maximum Number of Letters on Nameplate (Nos) 4
4	Belt - Black leather for	Length of belt 140 centimeter
	MFES/Traffic.	Width of belt 50 millimeter
		Thickness of belt 2.5 millimeter
		Dimensions of buckle (Length X Width X Thickness) 90mm X 63mm X 1.2mm
		Metal Component
		Material of buckle, sword hook, loop, Loop stopper hook, D Ring, Rivet, stud etc. Good Quality MS (Low
		Carbon Steel) With Nickle Chrome Plating
		Material of Logo Brass (Copper- 70 Pecent Min And Zinc - 25 Percent Min)

5	Belt-white leather for traffic	Length of belt 140 centimeter
		Width of belt 50 millimeter
		Thickness of belt 2.5 millimeter
		Dimensions of buckle (Length X Width X Thickness) 90mm X 63mm X 1.2mm
		Metal Component
		Material of buckle, sword hook, loop, Loop stopper hook, D Ring, Rivet, stud etc. Good Quality MS (Low
		Carbon Steel) With Nickle Chrome Plating
		Material of Logo Brass (Copper- 70 Pecent Min And Zinc - 25 Percent Min)
6	Belt - Brown Leather Cross Belt with	Dimensions of Main Belt Length- 140cm, Width- 50mm, Thickness- 3.5mm
	Buckles	Dimensions of Cross/ Shoulder Belt Length- 115cm, Width- 25mm, Thickness- 3.0mm
		Metal Components Buckle, Hook, D Ring, Rivet etc. should be made from good quality brass with Nickel
		Chrome plating. The copper should be in the range of 62-67%, zinc 30-32% & lead 1.5-3.5%.
		Leather Loop One leather loop should be provided at the buckle side/Head end of main belt.

7	Belt - Brown Leather for	Length of belt 140 centimeter
	ASI/Hav/Const with Buckles	Width of belt 50 millimeter
		Thickness of belt 2.5 millimeter
		Dimensions of buckle (Length X Width X Thickness) 90mm X 63mm X 1.2mm
		Metal Component
		Material of buckle, sword hook, loop, Loop stopper hook, D Ring, Rivet, stud etc. Good Quality MS (Low
		Carbon Steel) With Nickle Chrome Plating
		Material of Logo Brass (Copper- 70 Pecent Min And Zinc - 25 Percent Min)
8	Belt - Brown Leather for officers	Length of belt 140 centimeter
	with Buckles	Width of belt 50 millimeter
		Thickness of belt 2.5 millimeter
		Dimensions of buckle (Length X Width X Thickness) 90mm X 63mm X 1.2mm
		Metal Component
		Material of buckle, sword hook, loop, Loop stopper hook, D Ring, Rivet, stud etc. Good Quality MS (Low
		Carbon Steel) With Nickle Chrome Plating
		Material of Logo Brass (Copper- 70 Pecent Min And Zinc - 25 Percent Min)
9	Belt - Black Belt Nylon	Waist Belt Nylon with Buckle and Rings for Facilitating Slithering/Rapping as per QR/specification approved by
		MHA vide letter No. IV-21011/3/2010 - Prov - I, Dated: 23/02/2010
		colur- black
10	Beret Cap - Wollen Black	Governing Specification As per QR/specification of Beret Cap (Revision) aproved by MHA vide letter No-
		U.II.1/2012-13-Prov-CLO/608 Dt 28-4-2016
		Size Medium small large
		Channel at bottom edge of bavel 25mm vide Polypropylene Tape (MHA approved specification)
11	Beret Cap - Wollen Red.	Governing Specification As per QR/specification of Beret Cap (Revision) aproved by MHA vide letter No-
		U.II.1/2012-13-Prov-CLO/608 Dt 28-4-2016
		Size Medium small large
		Channel at bottom edge of bavel 25mm vide Polypropylene Tape (MHA approved specification)
12	Beret Cap - Woollen Green	Governing Specification As per QR/specification of Beret Cap (Revision) aproved by MHA vide letter No-
		U.II.1/2012-13-Prov-CLO/608 Dt 28-4-2016
		Size Medium small large
		Channel at bottom edge of bavel 25mm vide Polypropylene Tape (MHA approved specification)

13	Beret Cap - Woollen Khaki	Governing Specification As per QR/specification of Beret Cap (Revision) aproved by MHA vide letter No-
	_	U.II.1/2012-13-Prov-CLO/608 Dt 28-4-2016
		Size Medium small large
		Channel at bottom edge of bavel 25mm vide Polypropylene Tape (MHA approved specification)
14	Blanket - Woollen Black	Width of the Blanket 150 centimeter
		Mass Per Blanket 2.3 kilogram
		Blend Composition (Percentage) Wool- 80 (of fineness Grade 64s) & Polyamide-20
		Weave 2/2 twill
		Piping Polyester Satin piping of matching colour having 872 Ends/dm, 336 Picks/dm and 8.5 gms weight per
		linear meter
		Logo/ Totem -MLP
15	Boot-black ammunation	Mass The mass of one pair of finished boots of size 8 shall not exceed 1100 gm with an increase or decrease of 75 g for each bigger or smaller size respectively Dimension The depth of toecap shall be 60 ± 5 mm for size 8 with increase or decrease of 2 mm per size Yes The leg height (back height) shall be 150 mm ± 5 mm for size 8 with increase or decrease 5 mm per size Sole Direct Moulded Double density P.U. sole The thickness of outersole in the finished condition shall be as under:- 1 At forepart- 8 mm (min); 2 At waist- 6 mm (min); 3 At heel- 8 mm (min); 4 Depth of cleat at sole & heel- 3 mm (min); 5 Minimum thickness- 5 mm (min); upper material Boots are made from Chrome tanned barton print leather upper, lined with combination tanned lining leather. Assorted sizes (5, 6, 7, 8, 9, 10, 11 and 12) as per buyers requirements

16	Boot - Brown for Officers	Tactical Boot PU Sole as per QRs/ Specification of Tactical Boot PU Sole approved by MHA vide letter No
		U.II-98 (Spec)/2013-14- Prov dated 26-12-2013 and amendment letter dated 07-07-2014
		Assorted size
17	Boot-fire fighting Gum boots with	Governing Specification Conformity to Indian Standard IS 12254 (Latest)
	steel toe	ISI Marked
		CML No. (If ISI Marked)
		Material
		Material PVC
		Relative density of the material (Max) 1.25
		Knitted Fabric lining
		Steel Toe Cap Confirming to Type 2 of IS 5852:1992)
		SIZE
		Boot Size Assorted Sizes (5, 6, 7, 8, 9, 10 and 11) as per buyers requirements
		Compliance to cold flex requirement as per clause 5.13 of IS 12254 Latest Yes
		Boot Style Half Knee
		Leg Height of Boot (mm) 300 millimeter

18	Boot - Hunting Boot	Upper Material Upper shell consist of Polyester viscose fabric, Water Repellent as an outer layer and 100 % non-
		woven Nylon (cambrille type) lining as an inner layer. The two fabrics shall be adhered together with flexible
		adhesive and polyurethane foam of 5 mm thickness.
		Blend Composition of polyester viscose fabric water repellent Polyester-80% Viscose-Remainder
		Binding material of Polyester blended fabric, black having blend composition of Polyester-67%, Cotton-33% &
		confirming to IS:15852-2009 for colour fastness to light, washing & pH value YES
		Insocks Covered with cambrille type non woven material black
		Thermoplastic Toe Puff and Counter Stiffner Thickness when extacted from boot shall be 1.7 mm to 1.9 mm YES
		Full Chrome Leather for Toe Cap and Arch piece confirming to IS 5677-1986 for Heat resistance, Colour
		fastness to rubbing crocking, Solvent extractable substances, water soluble matters, Chromium contents & pH
		value of water soluble YES
		Thickness of Full Chrome Leather for Toe Cap and Arch Piece shall be 1.2 mm to 1.8 mm YES
		Length of Nylon Laces (cm) 160
		Width of Laces (mm) 6
		Breaking Load of Laces (20 cm between grips) (Test Method- IS: 1969) 750 Newton
		Mass per 10 pairs of Laces (g) 125
		Dye Fastness to Washing for Laces shall be above 4 (Test Method- IS/ ISO 105-C10: 2006) (Test Condition as
		per table-2, Test Number-C(3)) YES
		Dye Fastness to Light (Test Method- IS: 2454) for Laces shall be above 4. YES
		pH Value of aqueous extract shall be 6.5 to 8.5 for Laces YES
		Sewing threads Polyester Sewing thread confirming to IS 9543-1980 (Variety No- 7)
		OTHER REQUIREMENTS
		Mass per pair for Size-8 shall be 750 to 850 gms (with increase or decrease of 50 grams for each bigger and
		smaller size respectively) YES
		Leg height for Size-8 shall be 160 mm (with increase or decrease of 2 mm for each bigger and smaller size
	1	205 horgan for bize o blight of 100 him (with increase of decrease of 2 him for each organ and shidher size

19	Boot - Ammunition Boot (Rubber	
	Sole)	UPPER MATERIAL
		Boots are made from Chrome tanned barton print leather upper, lined with combination tanned lining leather.
		SOLE
		Sole Direct Moulded Double density P.U. sole
		The thickness of outersole in the finished condition shall be as under:- 1 At forepart- 8 mm (min); 2 At waist- 6
		mm (min); 3 At heel- 8 mm (min); 4 Depth of cleat at sole & heel- 3 mm (min); 5 Minimum thickness- 5 mm
		(min); Yes
		Dimension
		The depth of toecap shall be 60 ± 5 mm for size 8 with increase or decrease of 2 mm per size Yes
		The leg height (back height) shall be 150 mm \pm 5 mm for size 8 with increase or decrease 5 mm per size Yes
		Mass
		The mass of one pair of finished boots of size 8 shall not exceed 1100 gm with an increase or decrease of 75 g
		for each bigger or smaller size respectively Yes
20	Boot - Ammunition Boot (Rubber	Material
	Sole) Long	Boots are made from Chrome tanned barton print leather upper, lined with combination tanned lining leather.
		Yes
		Sole Direct Moulded P.U. Midsole and moulded T.P.U. Out Sole
		Mass
		The mass of one pair of finished boots of size 8 shall not exceed 1200 gm with an increase or decrease of 75 g
		for each bigger or smaller size respectively
		Dimension
		The leg height (back height) shall be 115 mm \pm 5 mm for size 8 with increase or decrease 5 mm per size.
		The depth of toecap shall be 60 ± 5 mm for size 8 with increase or decrease of 2 mm per size
		The thickness of outersole in the finished condition shall be as under:- 1. At forepart- 3.0 mm (min.); 2. At waist-
		3.0 mm (min.); 3. At heel- 4.5 mm (min.); 4. Depth of cleat at sole & heel- 2.0 mm (min.); 5. Minimum
		thickness- 2.0 mm (min.)
21	Bayonet frog	Frog Bayonet (Spares for Synthetic Web Equipment-Improved Version) Conforming to Specification No. DMSRDE/T&GS/99 /440(a)

22	Bag Pack for carrying Protective	MaterialNylon 6-6 multifilament texturized yarn
	equipment	CAPACITY
		Volumetric Capacity (Min) 40 liter
		DIMENSIONS AND MASS
		Length 22 Inch Max.
		Width about 16 Inch
		Thickness about 6 Inch
		Weight 2.25 Kg Max
23	Cap Comforter (Khaki)	MATERIAL
		Material 100 percent Wool, spun on worsted system from wool tops of not less than 56s Grade.
		Cap comforter shall be tailored out of seamless plain knitted tubular fabric Yes
		Courses per dm 56
		Thickness of 4 Layers (min) 8 millimeter
		COLOUR
		Colour KHAKI
24	Cloth - Camouflage cloth	DIMENSIONS
		Width: 148 centimeter
		Colour And Print
		Disruptive print pattern and colours As agreed between Buyer and Seller
		Composition
		Blend Composition in percent Nylon-50 & Cotton-50
		Mass
		Mass (g/ square mtr) 200 gram
		Weave
		Weave Rip Stop

25	Cloth - Angola	Wool -50 percentage Polyster-50 percentage Mass (G/M²)225 (as per MHA Specn) Width excluding selvedge (Min) (cm) 145 Colour/Shade Olive-Khakhi Fineness Grade of Wool Tops 64s OTHER REQUIREMENTS Weave 2/2 Twill
		Weave 2/2 I will
26	Cloth - Cellular Cloth Khaki	
27	Cloth - Drill Cloth Khaki	CONSTRUCTION
		Mass (g/ m²) 325 (Variety No 4, Dyed with MK Base
		Ends per cm 43 (for variety No 4)
		Picks per cm 19
		Weave 3 up 1 down warp faced Twill
		COLOUR
		Colour mineral khaki
		DIMENSIONS
		Width of Cloth 71 centimeter
28	Mosquito Netting Khaki	Net Mosquito round mesh polyster flame Retardent as per Specification No D/4211/99TC-11(C)
29	Cloth - Mosquito Netting Cloth	Net Mosquito round mesh polyster flame Retardent as per Specification No D/4211/99TC-11(C)
30	Cloth - Serge Cloth Khaki	Width(Excluding Selvedge) (cm) 140
		Colour/ Shade Olive-Khakhi
		Finess Grade of wool 64s
		Composition Wool - 50 % Polyester - 50 %
		Method of Dyeing Top Dyeing
		Weave 2/2 Twill

31	Cloth _Terry Cot.Pant cloth (Grey	Width -138 centimeter
	Colour)	Fibres composition in percent Polyester- 67 Cotton- 33
		COLOUR
		Shade GREY
		CONSTRUCTION
		Threads/dm: Warp 260
		Threads/dm: weft 190
		Mass (g/ square mtr) 190 gram
32	Cloth-Terry Cot Shirt Cloth(Light	Width excluding selvedge (cm) 150.0 centimeter
	Blue Colour)	Fibres composition in percent Polyester- 67 Cotton- 33
		COLOUR
		Shade -Light blue colour
		CONSTRUCTION
		Threads/dm: Warp 260.0
		Threads/dm: weft 190.0
		Mass (g/ square mtr) 190.0 gram
33	Cloth - Terry Cotton Black.	Width -138 centimeter
		Fibres composition in percent Polyester- 67 Cotton- 33
		COLOUR
		Shade GREY
		CONSTRUCTION
		Threads/dm: Warp 260
		Threads/dm: weft 190
		Mass (g/ square mtr) 190 gram

34	Cloth - Terry Cotton Cloth Khaki	COLOUR
	,	Type Of Dyeing Of Polyester & Viscose Fibre Dope Dyed
		Colour / Shade As per requirements of Table-2A, 2B, 2C, 2D of MHA Specification Khaki
		COUNT OF YARN
		Count Of Yarn (Warp And Weft) 2 bi 30 s
		DIMENSIONS
		Width (Excluding Selvedge) 130 centimeter
		MASS
		Mass in Grams per sq. Mtrs. (gms) 190 gram
		COMPOSITION
		Blend Composition in percent Polyester- 67 % and Viscose- 33%
		WEAVE
		Weave Plain
35	Cloth - serge cloth Blue.(Traffic)	Width(Excluding Selvedge) (cm) 140
		Colour/ Shade - navy blue
		Finess Grade of wool 64s
		Composition Wool - 50 % Polyester - 50 %
		Method of Dyeing Top Dyeing
		Weave 2/2 Twill
36	Cloth - cloth Blue for Blazer(SB)	
37	Cloth-white Terry Cotton Cloth	Width -138 centimeter
		Fibres composition in percent Polyester- 67 Cotton- 33
		COLOUR
		Shade white
		CONSTRUCTION
		Threads/dm: Warp 260
		Threads/dm: weft 190
		Mass (g/ square mtr) 190 gram

38	F.S. Hat Khaki	Size- Assorted Size (As per buyer requirement)
		Colour of the Hat- Mineral Khaki
		Material of Body Lining and outer band at the base of wall and chin strap Drill Cotton (As Per IS: 177-1989:
		Latest With Variety No 3
		Material of Inner head band and strip covering the raw edges at the joining seam of the crown and wall Shirting
		Cotton cellular MK or OG or black as per IS: 1144-1980: latest
		Material for interlining of brim, crown and wall Jute Canvas Conforming To Specification No IS: 10036 1982:
		Latest (Part 2)
		Brass Eyelets Conforming To IS 5041-1978: Latest (Type 1) Painted In Matching Colour
		Sewing Thread Cotton Conforming To IS 1720-1978: Latest (Variety NO 131)
39	Ground Sheet	Colour
		Colour Olive Green
		Size
		Size (Length X Width) (cm x cm) 180 x 105
40	Hand Gloves - Woolen (khaki)	Material
		Base Fabric Plain Knitted on Palm & Finger and 2X2 rib on cuff
		Material composition 80 percentage wool and 20 percentage Nylon
		Wool grade (minimum) 58s
		Mass
		Mass of 10 pairs 700 gms for medium
41	Hand Gloves White for Traffic	
42	Hand Towel	Construction
		Weave Honeycomb
		Ends per dm 110(Double)
		Picks per dm 94(Double)
		Mass (g/m2) 360
		Dimension
		Length X Width (cmxcm) 120 X 65

43	Jersey - Officers 'V' Neck Jersey	Assorted sizes (85, 90, 95, 100, 105, 110 and 115) as per buyer's requirements
	Khaki	COLOUR
		Colour/Shade KHAKI
		Mass of Jersey 600 gram (Size 85)
		MATERIAL
		Body and Sleeves Basic Knitted Fabric (worsted yarn 55 tex X 2)
		Reinforcement of sleeves, shoulder straps and pen pockets Cloth polyester cotton Gaberdine dyed
44	Jersey- Wollen Jersey Blue(Traffic)	Assorted sizes (85, 90, 95, 100, 105, 110 and 115) as per buyer's requirements
		COLOUR
		Colour/Shade Blue
		Mass of Jersey 550 gram (Size 85)
		MATERIAL
		Body and Sleeves Basic Knitted Fabric (worsted yarn 55 tex X 2)
		Reinforcement of sleeves, shoulder straps and pen pockets Cloth polyester cotton Gaberdine dyed
45	Jersey - Wollen Jersey	Assorted sizes (85, 90, 95, 100, 105, 110 and 115) as per buyer's requirements
	Black(F&ES/sf-10)	COLOUR
		Colour/Shade Black
		Mass of Jersey 550 gram (Size 85)
		MATERIAL
		Body and Sleeves Basic Knitted Fabric (worsted yarn 55 tex X 2)
		Reinforcement of sleeves, shoulder straps and pen pockets Cloth polyester cotton Gaberdine dyed

46	Jersey - Woolen Jersey Khaki	SPECIFICATION
		Technical Specification of the Product Jersey, Y-Neck, Plain-Knitted, Worsted as per IS: 2360- 1977, Latest
		MATERIAL
		Blend Composition of Yarn used for manufacture of Jersey Wool- 70 %, Nylon 30 %
		SIZE
		Size Assorted Size and Fittings as per buyer's requirements
		COLOUR
		Colour Assorted
		OTHER REQUIREMENTS
		Seam At Sides
		"Slits Opening at Shoulder" Yes
		Sleeve Reinforcement Yes
47	Jersey - Woolen Jersey Pullover	SPECIFICATION
	Khaki	Technical Specification of the Product Jersey, Y-Neck, Plain-Knitted, Worsted as per IS: 2360- 1977, Latest
		MATERIAL
		Blend Composition of Yarn used for manufacture of Jersey Wool- 70 %, Nylon 30 %
		SIZE
		Size Assorted Size and Fittings as per buyer's requirements
		COLOUR
		Colour KHAKI
		OTHER REQUIREMENTS
		Seam At Sides
		"Slits Opening at Shoulder" Yes
		Sleeve Reinforcement Yes

48	Jersey - Woollen Jersey (Assorted	SPECIFICATION
	Colour)	Technical Specification of the Product Jersey, Y-Neck, Plain-Knitted, Worsted as per IS: 2360- 1977, Latest
		MATERIAL
		Blend Composition of Yarn used for manufacture of Jersey Wool- 70 %, Nylon 30 %
		SIZE
		Size Assorted Size and Fittings as per buyer's requirements
		COLOUR
		Colour Assorted
		OTHER REQUIREMENTS
		Seam At Sides
		"Slits Opening at Shoulder" Yes
		Sleeve Reinforcement Yes
49	Kit Bag (Khaki)	Technical Requirements as per Provisional Specification No- S/ 2532/ Bag Kit Universal (OG)/ TC-6 issued by
		Controller, Controllerate of Quality Assurance, Textiles and Clothing.
		Colour-khaki
50	Line Bedding	
51	Monkey Cap	MATERIAL
		Body Material Plain Weave Polyester Cotton Blend 67:33, water repellant 220 g
		Forehead Piece material 2 layers of HDPE woven fabric covered on one side with a layer of Calico Cotton Khaki
		Peak Material Piece of LDPE sheet encased in casing of body material
		Cushioning Lining Material 2mm Strip of Polyurethane foam
		Stitching Lock stitch with 4 to 5 stitches per cm
		Packing material of Individual Cap Polyethylene Bag of suitable size
		PRINT AND COLOUR
		Cloth Print Pattern Disruptive
		Other Requirement
		Top Construction Six triangular panels of equal size joined together with plain seam and joints reinforced with
		1.5 cm wide strips of Calico cotton Khakhi
		Peak Quilting at periphery Four rows of machine stitching equidistant from each other
		Ventilation Holes One Ventilation hole of 4 mm Dia finished with Buttonhole stitching

52	Peak Cap - Khaki Serge Peak Cap for	Material
	MPRO/F&ES/ASI	Material Terry Wool Cloth
		Dimension
		Diameter 9.5 Inch X 9.75 Inch
		Peak 2.5 Inch X 9.5 Inch
		Complete Height (Peak to top) 5.5 Inch
53	Peak Cap - SI / Inspectors	Material
		Material Terry Wool Cloth
		Dimension
		Diameter 9.5 Inch X 9.75 Inch
		Peak 2.5 Inch X 9.5 Inch
		Complete Height (Peak to top) 5.5 Inch
54	Sleeping Bag.	Technical Specification of the product Light Weight Sleeping Bag as per QR/ specification approved by MHA
		vide letter No. U.II-23/2010-11 - Prov (CoBRA) 9534, Dated: 05/11/2014
		WEIGHT
		Net Weight 650-710 grams
		MATERIAL
		Shell Material 100% Polyester
		COLOUR
		Colour Olive Green
55	Sling - AK-47 Rifle.	Sling - AK-47 Rifle. as per QR/ specification approved by MHA vide letter No. IV-21011/3/2010 - Prov - I,
		Dated: 23/2/201
56	Sling - Rifle.Khaki (Web)	Sling - Rifle.Khaki (Web) as per QR/ specification approved by MHA vide letter No. IV-21011/3/2010 - Prov -
		I, Dated: 23/2/201
57	Sling - Carbine/Stengun	Sling - Carbine/Stengun as per QR/ specification approved by MHA vide letter No. IV-21011/3/2010 - Prov - I,
		Dated: 23/2/2010

58	Sling - SLR/Insas	Sling - SLR/Insas as per QR/ specification approved by MHA vide letter No. IV-21011/3/2010 - Prov - I, Dated: 23/2/2010
59	Socks Organic socks	Construction Type of Knitting Pique knit at welt and Plain Knit with plaiting in Leg and Foot.
		Courses per dm 130 Colour Khaki Composition
		Composition (Pecentage) Cotton- 68, Nylon- 26, Rubber covered with Polyester- 4, and Elastane- 2. Size
		Size Medium Length X Width of Foot 24 cm X 9 cm
		Length X Width of Leg 24 cm X 9 cm Depth X Width of Welt 5 cm X 8 cm
		Mass Mass of 10 pairs 390 gram
60	Socks - Khaki Nylon Socks	Size Size Medium (as per IND)
		Colour Kjaki colors
		Construction Type of knitting Plain- Knitted (as per IS specification)
		Pattern of stitches (only for Rib and Fancy knitted socks as per IS) Nil Kintting structure Single cylinder Heel and toe Single heel and toe
		Top of the socks Plain knitted

61	Socks - White Socks for officers	Size
		Size Medium (as per IND)
		Colour
		Colour white colors
		Construction
		Type of knitting Plain- Knitted (as per IS specification)
		Pattern of stitches (only for Rib and Fancy knitted socks as per IS) Nil
		Kintting structure Single cylinder
		Heel and toe Single heel and toe
		Top of the socks Plain knitted
62	Socks - Woolen Khaki	(Revision No-2) with amdt no-1)
		SIZE
		Size, mass per 10 pairs in grams (as per relevant Specification) 27, 1390 (as per JSS)
		COLOUR
		Colour Khaki
		MATERIAL
		Grade of wool (minimum) 48s (As Per IS & JSS)
		Blend composition of yarn (Preference based on standards) wool- 80 %, Nylon- 20 % (as per JSS)
		Count of knitting and linking yarn (Preference based on standards) 80 Tex X 3 (As Per IS & JSS)
		OTHER REQUIREMENTS
		Raising on outer and inner surface (except rib top portion) (only for socks made as per JSS specification) YES
		(as per JSS)
63	Steel - Kit box 30x16x12 Size for all ranks	Material of Body, lid Cover, Pocket and Channel CRC Steel Sheet 0.6 mm thick conforming to designation D
		Method of Component fixing By Riveting
		Steel Trunk Size LxWxH -30 X 16 X 12
		Steel Hull Size LAWAII SOA IOA 12

64	Vest Cotton White	Governing Specification Conforming To QR/Specification As Approved By MHA Vide Their Letter No. U-II-25/2011-12-Prov-(CoBRA) Dt 11-2-2013 Obtained From Office Of The Directorate General Of Police, CRPF, Ministry Of Home, Block No. 1, CGO Complex, Lodhi Road, New Delhi-03 SIZE Size Assorted Sizes (80, 85, 90, 95, 100 and 105) as per buyers requirements DIMENSIONS Length (Cms) 71.1 for size 95 Shoulder (Cms) 40.6 for size 90 Chest Width(Cms) 43.2 for size 90 COLOUR Colour Off White MATERIAL Fabric Knitted Tublar Interlock fabric Composition (Excluding Rib) & Weight of Fabric 80 Percent Cotton, 20 Percent Polyester, 210-220 gram per square meter Composition for Rib Minimum 5 Percent Elastane, Remainder Cotton
65	Water proof coat with head cover - Khaki for AB/HAV	"Rain Jacket (With Integrated Hood and Trouser) as per Indian Air Force specification No. IAFS 01061:2013, issued by Command Logistics Management Officer (Quality Assurance Services) Head Quarters, Maintenance
	THIRD TO THE THE	Command Vayu Sena Nagar Nagpur - 440 007 " Colour- khaki
66	Web - Anklet Web (Khaki)pair	Anklet Web as per Defence Specification No. DMSRDE / T&GS/77/227 (a) issued by The Controller Controlerate of Inspection Textile & Clothing, Kanpur
67	Web - Belt Khaki	Anklet Web as per Defence Specification No. DMSRDE / T&GS/77/227 (a) issued by The Controller Controlerate of Inspection Textile & Clothing, Kanpur

68	Zippered Holdall.	Roll Bedding, 2.45 m X 0.6 m, as per Joint Services Specification No JSS-7210-02:2013 (Revision No 2)
		available at Directorate of Standardisation, Department of Defence Production, Ministry of Defence, 'H' Block,
		Nirman Bhawan, New Delhi- 110011.
		SIZE
		Length 183 cm
		Width 92 cm