<u>GOVERNMENT OF MEGHALAYA</u> OFFICE OF THE DIRECTOR GENERAL OF POLICE MEGHALAYA SHILLONG.

Letter No. MS/III-SF-10/Clothing/2016-17/5

Dated Shillong the 23rd May,2016.

TENDER NOTICE

Subject : Tender for Procurement of Special Clothing/Equipments for the personnel of SF-10, Meghalaya Police for the year 2016-2017

The Director General of Police, Meghalaya, Shillong invites Sealed Tenders affixing non-refundable Court Fee Stamp as under:-

Where the Tender Value:-

- (a) Not exceeding Rs. 5,000/- = Rs. 25/- only.
- (b) Exceeding Rs. 5,000/- but not exceeding Rs. 50,000/- = Rs. 50/- only.
- (c) Exceeding Rs. 50,000/- but not exceeding Rs. 1, 00,000/- = Rs. 100/- only.
- (d) Exceeding Rs. 1, 00,000/- but not exceeding Rs. 5, 00,000/- = Rs. 200/- only.
- (e) Exceeding Rs. 5, 00,000/- but not exceeding Rs. 15, 00,000/- = Rs. 300/- only.
- (f) Exceeding Rs. 15, 00,000/- but not exceeding Rs. 25, 00,000/- = Rs. 400/- only.
- (g) Exceeding Rs. 25, 00,000/- but not exceeding Rs. 1, 00, 00,000/- = Rs. 1000/only.

For entering into rates contract for supply of special clothing /equipment to the Personnel of SF-10 year 2016 – 2017 from manufacturers, authorized agents and dealers. Sealed Tender accompanied with Sealed Samples of individual items quoted will be received up-to **13.00 hrs** on **27.06.16** and will be opened on the same day at **14.00 hrs** Tenderers or their authorized representatives may remain present at the time of opening of tenders. Tenders/Samples received after **13.00** hrs by hand or post will stand automatically rejected. Sealed Tender should be dropped in the Tender Box of this office.

- 1. Tenderers should quote specific rates for each item. Tenders must be accompanied by Earnest money calculated at the rate of 10% (ten percent) of the total value of articles tendered. The Earnest money preferably should be in the form of Deposit at Call duly pledged in favour of the Asstt. Inspector General of Police (A), Meghalaya, Shillong. Earnest money in any other recognized forms like the National Saving Certificate and Fixed Deposit Receipt are also acceptable provided they are duly pledged in favour of the Asstt. Inspector General of Police (A), Meghalaya, Shillong. Contractors belonging to Scheduled Caste/Scheduled Tribes and others are required to deposit half of the Earnest Money as indicated above. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for this tender. Further, no tenderer is exempted from the requirement of depositing Earnest Money on any ground.
- 2. Rates should be quoted F.O.R destination at the Office of the Commanding Officer SF-10 Headquarter and should be inclusive of all charges like packing insurance and other incidental charges. Rates quoted should be clearly and neatly written in figures as well as

in words. All correction/cancellation must be initialed, otherwise tender will stand rejected. VAT should be quoted separately on taxable items as deduction of Tax at Source will be effected accordingly on Firm's bills.

3. Tenders should be addressed to the undersigned by designation and not by name, the Sealed envelope containing the tender should be superscribed as "Tender of Special Clothing / Equipment for Police Personnel of SF-10 and be posted under registered cover or sent through messenger.

Approved Tenderers of the preceding years who have not completed supplies clothing/uniform items to Meghalaya Police is barred from participation.

- 4. On items where the tenders have an existing and valid rate contract with DGS & D, the authenticated copy of such rate contract may be furnished along with the Tender. On items where rates quoted are as per ISI marked quality, I.S.I number/year along with copy of valid licence should be furnished.
- 5. Firms should be registered under Meghalaya Value Added Tax for items to be supplied and proof of Tax Identification Number (TIN) of the firm should be enclosed without which the tender shall be out rightly rejected.
- 6. Attested copies of valid Trading License in terms of KHADC, JHADC, GHADC for Non-Tribals (Regulation Act 1954) who are required to obtain such License should be enclosed.
- 7. An attested copy of Photograph of the Tenderer should be submitted along with Tender.
- 8. An undertaking should be furnished that the supply/work will be done by the contractor/tenderer himself/herself.
- 9. A Financial Stability Certificate from the Deputy Commissioner, 1st Class Magistrate or of a Schedule Bank certifying that the firm/supplier is capable to undertake the supply should be submitted along with the tender. Attested copy of upto date Tax Clearance Certificate and Professional Tax Clearance Certificate from the concerned Taxation Department should also be enclosed.
- 10. Tenderers are required to submit samples for items quoted. All Samples submitted must clearly bear manufacturer's marking and specification, brand name, etc alongwith the firm's label attached on each sample.
- 11. Those tenderers who are authorized Agent/Dealers of the Principal Manufacturers may submit authorized dealership Certificate.
- 12. The risk on transport will have to be borne by the suppliers themselves.
- *13.* The Tenderers should be prepared to accept item-wise rates approved by the Department otherwise their Earnest Money may be forfeited.
- 14. The Director General of Police, Meghalaya is not bound to accept the lowest tendered rates.
- *15.* If at the time of opening of Tender, should there be any objection raised by the Tenderers/Representatives present as to the validity of any tender, the objection will be

duly recorded and will be put up to the Purchase Board for consideration. The decision of the Purchase Board on such objection will be final and binding.

- 16. The successful tenderers will be intimated by a letter of acceptance by the Asstt. Inspector General of Police (A). Till then, no tenderer has any right to assume that his/her tenders has been accepted.
- 17. (A) In the event of contractor's failing to perform his/her part of the contract to the satisfaction of the Department or disregard any terms or conditions of the Tender Notice or the Contract Agreement, the contractor shall be liable to all or any of the following action:
 - i) Forfeiture of Security Deposit in whole/part.
 - ii) Making good the loss caused to the Government through the inability, neglect or delaying to comply with the demand.
 - iii) Imposition of penalty (fine) in case of failure to make the supply within the stipulated time at the rate of 0.50% on the total amount of supply ordered for everyday not exceeding 2 weeks that he shall exceed his time either for the total supply or value of item(s) ordered for, and for liquidated damages.
 - iv) Cancellation of the contract without any prior notice of the contractor/supplier.

(B) All losses sustained by the Government due to failure, omission of neglect of the contractor may be realized from his/her Security Deposit and outstanding dues or any other sums which may be due to him/her from the respective Controlling Officer.

- 18. If the contractor/firm willfully neglects, fail to perform or observe any conditions of contract, or attempt to cheat or indulge in mal practice, the Director General of Police, Meghalaya may take necessary action to impose ban upon such contractors/firms for the future business with this Department.
- 19. Successful tenderer will be required to furnish a Security Deposit and execute Contract Agreement including commitment from AMC/after sales services to ensure fulfillment of the terms & conditions of the Contract which the successful tenderers will have to enter into. The Security Deposit will be held by the Department free of interest and the deposit shall be subjected to forfeiture in case of non-fulfillment of any of the terms and conditions of the Contract.

The Earnest Money of successful tenderer will be released only after he/she furnishes the full Security Deposit within the time fixed by the Department for the purpose failing which, the Earnest Money may be forfeited to the Government.

Earnest Money of unsuccessful tenderers will be released by the Department after the selection process of successful tenderers is finalized.

20. Tenders not accompanied with all the required papers/documents or not fulfilling the terms & conditions will automatically stand rejected.

The following are the rates of Security Deposit:-

- For Contract upto Rs. 20,000/-, 5% from tribal contractor and 6% from non-tribal Contractor.
- For Contract upto Rs. 50,000/-, 10% from tribal contractor and 11% from non-tribal Contractor.
- For Contract upto Rs. 1, 00,000/-, 10% from tribal contractor and 11% from non-tribal Contractor.
- For Contract over Rs. 1, 00,000/-, 20% for all categories.
- 21. Once the rates offered in the tenders are accepted, no enhancement of rates will be accepted under any circumstances and the tenderer will be liable to supply at the rates approved and accepted by the competent authority. Failure to make the supplies at the approved and accepted rates will entail cancellation of Contract Agreement and the Security Money will be forfeited to Government.
- 22. Once the Sample is approved, no change of brand name, shade pattern, quality or specification will be entertained even on the plea of non-availability of raw materials or alternative offers of similar quality.
- 23. The stores supplied must be of the same specification, weight, brand and quality as per tendered samples. Tenderers will have to furnish the counter samples within 2 (two) weeks of receipt of intimation regarding acceptance of tender. Failure to submit counter-samples in time as per the specification of the approved sample will entail cancellation of offer and forfeiture of Earnest Money/ Security Deposit.
- 24. (A) Delivery shall have to be completed within 8 (eight) weeks from the date of receipt of supply orders. No extension of delivery period will be entertained beyond the stipulated period unless the approved supplier submits irrefutable grounds for extension and delivery. In case of the plea that the approved items are no longer manufactured for which the supply cannot be made, an authenticated certificate in original from the concerned manufacturer should be furnished. No computer generated documents/certificate will be accepted.

(B) The application for extension of time must be submitted to this office in time after receiving the firm order, and not later than the date fixed for completion of the supply. Applications for extension of time received after the stipulated time will not be considered.

- 25. Payment will be made to the suppliers directly on completion of supplies and on correct receipt of goods by the respective consignee. Documents/Vouchers/R.Rs bill etc., routed through Banks will not be accepted. Consignments will be dispatched by the Firm after payment of all freight charges at source. Freight to pay 'R.Rs' will not be accepted.
- 26. Tax at source will be deducted as per rate applicable from Firm's bill by the District/Unit/Organization offices concerned.
- 27. Tenderers may note that all Samples (un-approved) submitted by them are returnable. The Samples should be collected by the tenderers at their own cost and risk from this office

failing which the Samples will be forfeited to Government. If the un-approved Samples are not collected by the unsuccessful tenderers within 1 (one) month of finalization of the tender by the Departmental Purchase Board, the same will be disposed off by the Department without any compensation to the unsuccessful tenderers.

28. List of items alongwith specification is enclosed at Annexure –I

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

Memo No. MS/III-SF-10/Clothing/2016-17/5Dated Shillong the 23rd May , 2016.Copy forwarded to:-

- 1. The Commissioner & Secretary to the Government of Meghalaya, Home (Police) Department, Shillong for information.
- The Addl. Director General of Police (L&O)/(CID)/(Hqr)/(TAP), Meghalaya, Shillong for information.
- **3.** The Spl. Addl. Director General of Police (SB)/(CID) Meghalaya, Shillong for information.
- 4. The Inspector General of Police, (CID/Hqr)/(TAP), Meghalaya, Shillong for information.
- **5.** The Dy. Inspector General of Police, (ER), Meghalaya, Shillong/ (WR), Meghalaya Tura for information.
- 6. The Deputy Commissioner, East Khasi Hills, Shillong/West Garo Hills, Tura/West Khasi Hills, Nongstoin/West Jaintia Hills, Jowai/Ri-Bhoi, Nongpoh/East Garo Hills, Williamnagar/South Garo Hills, Baghmara/South West Khasi Hills, Mawkyrwat/North Garo Hills, Resubelpara/East Jaintia Hills, Khliehriat/South West Garo Hills, Ampati.
- 7. The Superintendent of Police (C) MPRO, Meghalaya, Shillong.
- 8. The Superintendent of Police, East Khasi Hills, Shillong/West Garo Hills, Tura/West Khasi Hills, Nongstoin/West Jaintia Hills, Jowai/Ri-Bhoi, Nongpoh/East Garo Hills, Williamnagar/South Garo Hills, Baghmara / (F&ES), Meghalaya, Shillong/ South West Khasi Hills, Mawkyrwat/North Garo Hills, Resubelpara/East Jaintia Hills, Khliehriat/South West Garo Hills, Ampati/ Infil, Meghalaya, Shillong/ SP. Anti Infiltration Directorate, Meghalaya, Shillong/SP. (SCRB), Meghalaya, Shillong.
- 9. The Spl. Superintendent of Police, (SB), Meghalaya, Shillong.
- 10. The Reserve Officer, Office of the DGP, Meghalaya, Shillong.
- **11.** The SSP (CID), Meghalaya, Shillong with a soft copy containing the Tender Notice for uploading the same in the Website of Meghalaya Police.
- 12. The Principal, PTS, Meghalaya, Shillong.
- 13. The Commandants 1st MLP Bn., Mawiong, Shillong / 2nd MLP Bn., Goeragre, Tura / 3rd MLP Bn., (IRBN), Khliehtyrshi, Jowai / 4th MLP Bn., (IRBN), Sohpian, Nongstoin / 5th

MLP Bn. (IRBN) Samgong, Williamnagar/Vikaspuri, New Delhi / 6th MLP Bn., Camp Shillong/Commanding Officer SF-10.

- 14. The Director of Printing & Stationery Department, Shillong alongwith a soft copy for publication in 2 (two) consecutive issue of the Meghalaya Gazette.
- 15. The Director of Information & Public Relation, Meghalaya, Shillong alongwith a soft copy with a request to take necessary action from your end for publication in 2 (two) Newspapers (one impression) in English and in Khasi each of the List given below:-

16. <u>M/S</u>

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

<u>GOVERNMENT OF MEGHALAYA</u> OFFICE OF THE DIRECTOR GENERAL OF POLICE MEGHALAYA SHILLONG.

TENDER NOTICE

Sealed Tender for Supply of Special Clothing/Equipment are invited for Police Personnel of the Commanding Officer SF-10 for the year **2016 – 2017** will be received by the Asstt. Inspector General of Police, (Admn), Meghalaya, Shillong upto **13.00 hrs** on **27.06.16** and will be opened on the same day at **14.00 hrs** For detailed information, please contact Asstt. Inspector General of Police (Admn), Meghalaya, Shillong during office hours.

Asstt. Inspector General of Police (Admn), Meghalaya, Shillong.

SPECIAL CLOTHING

Sl. No.	Name of Item	Requirement	SPECIFICATION	Remark	
1.	Beret Cap	500	100% wool, high quality Vinyl trim, Cotton Liner, Two metal eyelets at front, Cardboard behind eyelet for badge, Head band strap aka clutch circumference +10".	Black in Colour with sizes S, M & L.	
2.	Field Jacket	300	Should include removable liner to retain body heat, Concealed Hood in pocket at neck area, Water Repellant Polyester/Cotton Twill, Heavy Brass Zipper & Snap-up Storm Flap, Epaulets, Waist, Hood & Bottom Drawstrings, Removable Nylon Button in-Liner, Hook & Loop Fastener Cuffs for attachment to Gloves, 2 Pockets at Lower Left/right waist (28cm x 30cm), Chest slide tab for Rank Epaulette, Weight (not to exceed 1.50kgs), Should also include provision for ID Patches & Badges for Name, Regiment Rank, Unit Badge, etc. with Velcro back.	Print design of the material should be Olive Green Digital print for the Commandos & Jet Black for the Riot Control Wing.	
3.	Tactical shirt	500	Should also be of Digital print and 100% knitted cotton. Should be suitable in hot & cold conditions and should be double stitched. There should be 5 buttons on front, 2 buttons on sleeve, 2 chest pockets, 2 buttons closure on top flap, 2 waist pockets, 2 Velcro stitched patches on shoulders for badges.	-do-	
4.	Tactical trouser	500	7 Belt Loops, Drawstring Ankles, Button Fly, Waist Slider adjustments, 2 waist pockets, 2 pockets on the leg above knee, one side & two on the back.	-do-	
5.	Belt	300	Cobra Riggers Belt (Diamondback). Should be extremely strong with a 4000lb breaking strength which should not break/open when under load. Buckle should be Aluminum based to prevent rusting and light weight. There should be two layers of Type 13 Resin Treated parachute webbing, Width should measure 1.75", 4" adjustment range – 1" down and 3" up from the size ordered, Five rows of stitching down the length of the belt, sewn in the same colour as the webbing, Lifetime Warranty.	-do-	
6.	Tactical Boot	500	<u>Must have Features</u> : (i) Action leather/900D Nylon upper with breathable mesh (ii) 8" height (iii) Comfortable design (iv) Side Zip. Steel Shank (v) EVA Midsole/Rubber (oil resistant) for long lasting cushioning (vi) Cambrelle Moisture Wicking Lining to help keep moisture away from the feet (vii) Stitched with Coats Barbour anti-fraying thread for extra durability (viii) High traction slip resistant outsole (ix) Padde Top to give extra comfort against back of heel (x) Metal Shank in the Sole (xi) Wt- Not more than 600gms max.	Jet Black for both Commandos & Riot Control Wing.	
7.	Jungle Boot	300	Jungle boots may be of digital camouflage with water repellant & waterproof properties, which, however should not be compromised with regard to its breathability. The Upper portion should be of Cordura WR breathable fabric, Sole made of Rubber Anti-slip design, Insole of Iva mould, Inner Lining of Camarala sweat absorbent foam lamination and treated with Anti-microbial components.		

8.	Organic Socks	500	Socks should be organic in nature with heavy duty cushion for long term ops. Should have In-turned Welt (double layer top) for relaxed and comfortable fit, Gentle grip sections to prevent unwanted movement, Extra padded sole for added protection, Fine toe seam to reduce risk of blisters, Reinforced heel and toe for durability.	
9.	Sun Hat	500	Hat with chin strap adjuster for sizing, Side vents, Branch Loops, Air eyelets, Chin straps. <u>Material combination</u> : Polyester (45%) and Cotton mix (55%).	Digital Print Olive green for Commandos only
10.	Track suit (Upper & Lower)	500	Upper: Width adjustable collar, inner collar lined with thermo fleece, water repellant ykk® outer zippers, Front zipper with wind flap & chin guard, 2 large outside zipp-pockets, 1 Napoleon inner zipp-pocket, Pre-shaped sleeves with elastic cuffs, Adjustable, elastic draw-cord at hem, hand washable. Lower: Elastic waistband with adjustable cord & button closure, Water repellant YKK® outer zippers, Elastic width-adjustable hem, hand washable.	left side of the Upper & "SPECIAL FORCE –

SPECIAL EQUIPMENT

SI. No	NAME OF ITEM	REQUIREMENT	SPECIFICATION	REMARK
1.	Multi-Purpose Tactical Vest	300	Should be Lightweight with all-round armour and load bearing platform, Fully Modular to be used with or without armour plates and can accept additional side-armour plates with other special compartments for storage. <u>Should also house the following attachments</u> : 3 AK-47 mag pouches, 4 Secondary Firearm Mag pouches, 1 Multi-purpose pouch, NVD pouch, Radio Comm. Pouch, Compass/GPS pouch, MOLLE system adaptor board, 3 Grenade pouches, 1 Pistol Holster. Color: Black. <u>Material Composition</u> : (i) 100% Nylon (ii) 100% Nylon Web (iii) 100% Nylon thread (iv) YKK® Zipper (v) YKK® Buckle (vi) Size – M & L (vii) Weight – M (1.70kg) L (1.90kg)	
2.	Tactical Gloves	300	Must be extremely lightweight (15gm) that offers cut & burn resistance without compromising tactile abilities having the following features: (i) Heat resistance – ideal for handling a hot iron or working with vehicles in a hot environment (ii) Cut resistance (iii) Puncture resistance (iv) Tight fitting (v) Silicone printing for excellent non-slip grip (vi) Which can operate on Touch screens (vii) Excellent tactility (viii) Elasticated cuff/Velcro type fastening strip (ix) Reinforced carbon fibre knuckle & hand protection design (x) High grade aniline goatskin leather (xi) Breathable sides to fingers.	
3.	Light Wgt. Tactical Backpack	300	Main Compartment: 30 ltr capacity with main zip extending down to each side for easy access. Top Front Pocket: 6 ltr pocket with a smaller pleated pocket for documents. Lower Front Pocket: 3 ltr pocket with zip opening that extends the width of the pack for easy access. Fabric: 500 Denier Polyamide fabric, Spacer fabric to be used on back face and under side of the shoulder strap to encourage airflow and reduce localized skin wittedness and increase comfort. Comfortable Shoulder Strap: Should have strong flexible attachment points. This allows the straps to fit back, especially for people with narrow or broad shoulders or when wearing body armour or bulky clothing. Back Face: Raised closed cell foam padding which will raise the load from the back to further encourage airflow and reduce wittedness. Harness: Vertical back frame type for dropping some of the load to the musculoskeletal frame via the removal hip belt & pelvic girdle. Overall Dimensions: (i) Main Pocket (H – 45 x D – 20 x W – 34cm / H – 17.7 x D – 7.8 x W – 13.3") (ii) Upper Pocket: H – 31cm x D – 8cm x W – 34cm / H – 12.2 x D – 3.1 x W – 13.3") (iii) Lower Pocket (H – 13cm x D – 8cm x W – 34cm / H – 5.1 x D – 3.1 x W – 13.3"). Cargo Capacity: 39 litres. Weight: 2kg (4.4lbs). Colour: Multi-cam Digital print.	
4.	Multi-Purpose Rain Poncho	500	Made with PU coated Nylon 6.6 fabric of 75 GSM, Weight – 325 <u>+</u> 25gm approx, Colour: Camouflage Digital Print.	

5.	Multi- Purpose Sleeping Bag	500	Features: Very light and versatile weighing not more than 950 gm, Color – Olive Green Camouflage print, Material to have a combination of 210 Nylon Taffeta shell filled with Polyfil sheet, whereby the said filling should weigh more than 380 gm., Full Opening zipper, Overall Waterproof cover, Pack size (H – 35 cm / Dia – 20 cm).	
6.	Tactical Thigh –Rig Holster	300	Should feature a Drop-leg Platform and adjustable thumb break, so as to ensure that the Holster keeps the pistol secured even during extreme ops. The material for the Holster should have the following combination: (i) Constructed of 1000 Denier CORDURA® Nylon outer material (ii) Elastic, rubberized leg straps for stability and comfort (iii) Adjustable thumb break for quick draw (iv) Top flap to cover the pistol for maximum weapon retention (v) Flap to be secured and open by hook & loop or closed by side-release buckle (vi) Front-mounted pouch for extra magazine, knife or light (vii) Additional mag pouches to be mounted horizontally on belt flap (ix) Color: Multi-cam Digital print.	
7.	Knee & Elbow Pads	300	Should be extremely Lightweight & Flexible, but at the same time should provide superior protection and shock absorption with the flexibility to the way the body moves. The Pads should be Unique shaped thermal plastic hard (TPU) shell, EVA high density foam for superior shock absorption, Forceful Spring back feature for comfort while walking or running, Adjustable Straps with Rapid Clips and Hook & Loop closure for secure fit, Color: Black/Multi-Cam Digital print.	
8.	Balaclava	500	100% Cotton, Single Layer Drifire, Should provide high level of flame resistance with no melt, no drip protection. Design should be such that it fits comfortably under a helmet and help remove moisture from the head. Color: Black.	
9.	LED Tactical Flashlight	500	Lamp Type – CREE Q4, Power in Lumens – 200 Lumen (Torch lumen), Reflection – Aluminum reflector, Lens – Impact resistant PC, Material – T6061 Aircraft Aluminum Alloy Expansion, Battery – CR-123A x 3 + 1 set spare, Input Voltage – 9v, Waterproof – Spill-resistant (with O-ring), Ready to be mounted on weapon with RAS rails and PTT cable switch, Bezel Diameter – 36m, Tail Diameter – 28mm, Overall length – 170mm, Weight – 330gm.	
10.	PASGT Tac. Helmet (BR)	300	Protection: NIJ IIIA . Should have the following features: (i) High tenacity Kevlar Aramid material (ii) Crown Mesh Internal Suspension System for improved airflow & stand off from head (iii) 4 Point Adjustable Harness system (iv) Large Neck support nape pad for improved comfort & helmet stability (v) Leather Head Band (vi) Chin Strap with Plastic Chin Cup (vii) Closure system – Quick release stud or buckle (viii) Accessory side rails for attachment of Night Vision gadgets (ix) Fragmentation Protection V50 640 m/s against 1.1g FSP in accordance with STANAG2920 (x) Shock Absorption to EN397 Standard (xi) Color: Multi-cam Digital print/ Black.	

11. B.R. Plates (NU III) 300 NU I Level - 111 10" x 12". Armour Plates with Shooter's Cut for stopping 7.62mm ammunition excluding amour piercing rounds. 12. Handcuffs 500 Smith & Wesson Police Handcuffs with spare kcy. Stainless steel Aluminum. 13. Weapon Sling (3 Point) 300 Bretella "3 points tactical" in Nylon webbing & Crocodife snaphook. 14. Para Cord 800 mtrs Strong & Long, Breaking Strain of approx 50kgs, Protective wear resistant sheath, Braided inner cord which can be used as fishing line or for sewing. 15. Tactical Pry Bar 300 Preferably BCB International '10MM'' Tactical Pry Bar. The bar should be made from hent-treated hardened steel with high-density foam under a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop, Angled tip for better leverage and control, Secured in MOLLF, Weight: 2015, Length: 10.5". 16. Hydration Pack 300 Capacity: 3 litres. Weight: 640gm. Large Sam opening with handle, Closed cell form lined pouch to help kcy the contrust cither cool or warms, Romwhe Lightweight should dist straps or but abcde to the larger packs, yokes and making it easier to fit into one's mackack, Fabric should be of Polyamide in Multi cam print, Attachments should consist of 6 '10' rings & 4 istic relause buckks, to the to the unstaid of a mcksack or Tactical Backpack of prescribed payload, Access opening should be of Fasy access double zip which should extend down the pack and provides opening for the drinking tube over the shoulders or under the arm.					
13. Wcapon Sling (3 Point) 300 Bretella "3 points tactical" in Nylon webbing & Crocodile snaphook. 14. Para Cord 800 mtrs Strong & Long, Breaking Strain of approx 50kgs, Protective wear resistant sheath, Braided inner cord which can be used as fishing line or for sewing. 15. Tactical Pry Bar 300 Preferably BCB International 'JIMMY Tactical Pry Bar. The bar should be made from heat-treated hardened steel with high-density from under a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop, Angled tip for better leverage and control, Secured in MOLLE, Weight: 20ts, Length: 10.5". 16. Hydration Pack 300 Capacity: 3 litres, Weight: 640gm, Large 52mm opening with handle, Closed cell foam lined pouch to help keep the contents either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it casitr to fit into one's rucksack, Fabric should be of Polyamide in Multi cam print. Attachments should consist of 6 'D' rings & 4 side release buckles, to attach to the outside of a rucksack or Tactical Backpack of prescribed payload, Access opening should be over the shoulders or under the arm. 17. Water Filtration System 300 Filters of the Filtration system must be infused with Silver as the Silver infusion is a self-sanitizing agent that kills bacteria, preventing growth of captured bacteria. The system should ensure Virus filtration at 99.9999% effective, Bacteria also at 99.999% and Protozoa at 99.998% effective. Rapid [130, 'On Virus 20, 'On Virus 2	11.	B.R. Plates (NIJ III)	300		
14. Para Cord 800 mtrs Strong & Long, Breaking Strain of approx 50kgs, Protective wear resistant sheath, Braided inner cord which can be used as fishing line or for scwing. 15. Tactical Pry Bar 300 Preferably BCB International 'IJMMY' Tactical Pry Bar. The bar should be made from heat-treated hardened steel with high-density foam under a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop. Angled tip for better leverage and control, Secured in MOLLE, Weight: 21bs, Length: 10.5". 16. Hydration Pack 300 Capacity: 3 litres, Weight: 640gm, Large 52mm opening with handle, Closed cell foam lined pouch to help kcep the contents: either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it easier to fit into one's rucksack, Fabric should be of Polyamide in Multi cam print, Attachments should down the pack and provides opening for the drinking tube over the shoulders or under the arm. 17. Water Filtration System 300 Filters of the Filtration system must be infused with Silver as the Silver infusion is a self-sanitizing agent that kills bacteria, preventing growth no tocos at a poly99% effective. Rapid Flow ate at 100 wpressure whereby it must be ensured that the system works at a minimum effective flow rate at 02 pressure whereby it must be compact and inforwide at minimum cooker system (ii) 950ml Canteer bottle. (i) Multi-cam pouch (v) Multi-fuel (solid/gel/fiquid) (vi) Lightweight (vii) Weight: 840 gm approx. 18. 1 Man- Pack Cooking Set 300 Should consist of the following: (i) High grade stainless steel	12.	Handcuffs	500	Smith & Wesson Police Handcuffs with spare key. Stainless steel Aluminum.	
15. Tactical Pry Bar 300 Preforably BCB International 'UMMY' Tactical Pry Bar. The bar should be made from heat-treated hardened steel with high-density foam under a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop. Angled tip for better leverage and control, Secured in MOLLE, Weight: 21bs, Lorght: 10.5". 16. Hydration Pack 300 Capacity: 3 litres, Weight: 640gm, Large 52mm opening with handle, Closed cell foam lined pouch to help keep the contents either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it easier to fit into one's rucksack, Fabric should be of Polyamide in Multi cam print, Attachments should consist of 6 'D' rings & 4 side release buckles, to attach to the outside of a rucksack or Tactical Backpack of prescribed payload, Access opening for the drinking tube over the shoulders or under the arm. 17. Water Filtration System 300 Filters of the Filtration system must be infused with Silver as the Silver infusion is a self-sanitzing agent that kills bacteria, preventing growth of captured bacteria. The system should ensure Virus filtration at 99.9999% effective, Bacteria also at 90.9999% after they. Bacteria also at 90.9999% in the system should be condicated and lightweight and provided with spare replacement filters. 18. 1 Man- Pack Cooking Sct 300 Should consist of the following: (i) High grade stainless steel cup (ii) Hard anodized aluminum cooker system (iii) 950ml Canteen bottle (iv) Multi-cam pouch (v) Multi-faul (solid/gel/liquid) (vi) Lightweight (vii) Weight: 840 gm approx. 18. 1 Man- Pack Cooking Sct<	13.	Weapon Sling (3 Point)	300	Bretella "3 points tactical" in Nylon webbing & Crocodile snaphook.	
steel with high-density formu nuder a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop, Angled tip for better leverage and control, Secured in MOLLE, Weight: 21bs, Length: 10.5°. 16. Hydration Pack 300 Capacity: 3 litres, Weight: 640gm, Large 52mm opening with handle, Closed cell foam lined pouch to help keep the contents either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it casier to fit into one's rucksack, Fabric should be of Polyamide in Multi cam print, Attachments should consist of 6 10° rings & 4 side release buckles, to attach to the outside of a rucksack or Tactical Backpack of prescribed payload, Access opening should be of Easy access double zip which should extend down the pack and provides opening for the drinking tube over the shoulders or under the arm. 17. Water Filtration System 300 Filters of the Filtration system must be infused with Silver as the Silver infusion is a self-sanitizing agent that kills bacteria, preventing growth of captured bacteria. The system should enure Virus filtration at 99.9999% effective, Bacteria also at 99.9999% and Protozoa at 99.998% effective. Rapid Flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate at low pressure withereby it must be ensured that the system works at a minimum effective flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate at low pressure whereby it must be ensured that the system contex at an provide with spare replacem	14.	Para Cord	800 mtrs		
kccp the contents either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it easier to fit into one's rucksack, Fabric should be of Polyanide in Multi cam print, Attachments should consist of 6 'D' rings & 4 side release buckles, to attach to the outside of a rucksack or Tactical Backpack of prescribed payload, Access opening should be of Easy access double zip which should extend down the pack and provides opening for the drinking tube over the shoulders or under the arm. 17. Water Filtration System 300 Filters of the Filtration system must be infused with Silver as the Silver infusion is a self-sanitizing agent that kills bacteria, preventing growth of captured bacteria. The system should ensure Virus filtration at 99.9999% effective, Bacteria also at 99.9999% and Protozoa at 99.998% effective. Rapid Flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate of 2 psig (13.8 kPa) or 1.37m (4.5') of water pressure. The filtration system should be to filter 4 litres of dirty water in 3 mins. Should be compact and lightweight and provided with spare replacement filters. 18. 1 Man- Pack Cooking Set 300 Should consist of the following: (i) High grade stainless steel cup (ii) Hard anodized aluminum cooker system (iii) 950ml Canteen bottle (iv) Multi-cam pouch (v) Multi-fuel (solid/gel/liquid) (vi) Lightweight (vii) Weight: 840 gm approx. 19. Insect Repellents 300 To provide protection against mosquitoes, gnats, midges, ticks, leech and other biting insects. Pump action spray or compact handy stick. Long lasting (upto 10 hrs).	15.	Tactical Pry Bar	300	steel with high-density foam under a wrapped cord grip for comfort. It should also have a striking surface at the back end and a lanyard attaching loop, Angled tip for better leverage and control, Secured in MOLLE,	
kills bacteria, preventing growth of captured bacteria. The system should ensure Virus filtration at 99.9999% effective, Bacteria also at 99.9999% and Protozoa at 99.998% effective. Rapid Flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate of 2 psig (13.8 kPa) or 1.37m (4.5') of water pressure. The filtration system should be able to filter 4 litres of dirty water in 3 mins. Should be compact and lightweight and provided with spare replacement filters. 18. 1 Man- Pack Cooking Set 300 Should consist of the following: (i) High grade stainless steel cup (ii) Hard anodized aluminum cooker system (iii) 950ml Canteen bottle (iv) Multi-cam pouch (v) Multi-fuel (solid/gel/liquid) (vi) Lightweight (vii) Weight: 840 gm approx. 19. Insect Repellents 300 To provide protection against mosquitoes, gnats, midges, ticks, leech and other biting insects. Pump action spray or compact handy stick. Long lasting (upto 10 hrs).	16.	Hydration Pack	300	keep the contents either cool or warm, Removable Lightweight shoulder straps so the system can be attached to the larger packs, yokes and making it easier to fit into one's rucksack, Fabric should be of Polyamide in Multi cam print, Attachments should consist of 6 'D' rings & 4 side release buckles, to attach to the outside of a rucksack or Tactical Backpack of prescribed payload, Access opening should be of Easy access double zip which should extend down the pack and provides opening for the drinking tube over the shoulders or under	
19. Insect Repellents 300 To provide protection against mosquitoes, gnats, midges, ticks, leech and other biting insects. Pump action spray or compact handy stick. Long lasting (upto 10 hrs).	17.	Water Filtration System	300	kills bacteria, preventing growth of captured bacteria. The system should ensure Virus filtration at 99.9999% effective, Bacteria also at 99.9999% and Protozoa at 99.998% effective. Rapid Flow rate at low pressure whereby it must be ensured that the system works at a minimum effective flow rate of 2 psig (13.8 kPa) or 1.37m (4.5') of water pressure. The filtration system should be able to filter 4 litres of dirty water in 3 mins.	
spray or compact handy stick. Long lasting (upto 10 hrs).	18.	1 Man- Pack Cooking Set	300	(iii) 950ml Canteen bottle (iv) Multi-cam pouch (v) Multi-fuel (solid/gel/liquid) (vi) Lightweight (vii)	
20 First Aid Kit 200 25 Biggs gots Derugsitation device Jactoria drink Anticentia wines Lance sure harden Swell sure	19.	Insect Repellents	300		
20. First Ald Kit 500 [25 Piece set: Resuscitation device, isotonic drink, Antiseptic wipes, Large crepe bandage, Small crepe	20.	First Aid Kit	300	25 Piece set: Resuscitation device, Isotonic drink, Antiseptic wipes, Large crepe bandage, Small crepe	

21.	Survival Kit	300	 bandage, Wound dressing No.8, Eye dressing No.16, Conforming bandage, Hospiform bandage, Anchor dressing, Large ambulance dressing, Assorted adhesive dressings, Paraffin gauze dressing, Triangular bandage, Safety pins, 2 Scissors, 2 Tweezers, Strip fabric dressing, Disposable gloves, Micro-porous adhesive tape, Sutures, Tactical Shell Burn Dressing (TSBD) for trauma injuries such as bullet/stab wounds, Injury evaluation form, Instruction leaflet, Lifesaver pouch. Features: Lightweight, Watertight seal, Belt attachment, Drawstring cord to loop over neck. Contents: Matches, Mini folding knife, Button compass, water purification tablets, Dry bag, Micro torch, Signaling mirror, Duck tape, Injury evaluation, Razor blades, Nylon cord, Nightlight, Pencil, sewing kit, Fishing kit, Wire saw, Distress whistle, Fireball flint & striker, Survival instructions, Safety pins. Size: 12 x 19.5cm (4.7 x 7.6"). Weight: 200 gm. 	
22.	High Quality NVDs	50	Preferably NVS 7 – GEN 3 NV model having the following features: (i) Waterproof, Lightweight & Compact (ii) Options of 3x, 4x or 5x easy to attach magnification lenses (iii) Supplied with Head mount (iv) Size: 15 x 12 x 5.5 cm (5.9 x 4.7 x 2.1") (v) Battery: 2 x AA (vi) Weight: 480 gm.	
23.	GPS	200	Must have features: (i) 12-channel GPS receiver tracks to enable usage of upto 12 satellites for fast, accurate positioning and low power consumption (ii) Differential DGPS capability using real-time WAAS corrections yielding position errors of less than 3 meters (iii) Compact, rugged design ideal for applications with minimal space (iv) Receiver position information which can be displayed directly on a chart-plotter or PC (v) Which does not require User initialization (vi) Once installed, unit should automatically produce navigation data after position fix is acquired (vii) User-configurable navigation mode (2-dimensional or 3-dimensional fix) (viii) (GPS 18 LVC and GPS 18-5Hz only) Highly accurate measurement pulse output for precise timing measurements: one-pulse-per-second (1 Hz) for the GPS 18 LVC or 5 Hz for GPS 18-5Hz (ix) Pulse width is configurable in 20 millisecond increments from 20 ms to 980 ms with 1 μs accuracy (x) Configurable for binary format carrier phase data output (xi) FLASH - based program and non-volatile memory (xii) Provision for New software revisions through Web site download (xiii) Non-volatile memory so as not to require battery backup (xiv) Onboard rechargeable backup battery to maintain the real-time clock for up to 3 weeks (xv) Configurable parameters to include expected position, current time and date, preferred position fix type (2D, 3D, or automatic), and velocity filter time constant (none, automatic, or one's choice between 2 and 255 seconds) (xvi) Waterproof design to allow continuous exposure to the prevailing weather conditions at most locations.	
24.	Triple Action Lock Carabiner	300	Symmetrical OK Screw Lock type, Weight: 75 gm. Color: Black.	
25.	Ascenders	300	(i) Both Right & Left versions, (ii) Wide, ergonomic handle (iii) Toothed Cam with self-cleaning slot to optimize performance under any condition (eg: muddy, wet, dry, etc) (iv) Weight: 195 gm.	

26.	Descender	300	Should be Compact self-breaking type with – (i) Multi-functional Handle to allow the user to unlock the rope & control the descent and to position himself on the rope without tying off the device (ii) Handle storage position type to reduce the risk of snagging (iii) Safety Catch on the swinging side plate (iv) Weight: 380 gm (v) Color: Black	
27.	Rappel Gloves (Cordex)	300	Lightweight with the following features: (i) Durable Double layer of high quality leather in high-wear areas (fingertips, palm, between the thumb & index finger) (ii) Back side to be made of breathable stretch nylon (iii) Caribiner hole to attach gloves to harness (iv) Size: S & M (v) Color: Black.	
28.	10.5 mm Rope	1000 mtrs	Non-stretch, Black Polyester.	
29.	Tactical Harness	300	Features: (i) Two-piece sterna attachment point and automatic FAST leg loop buckles (ii) Attachment with DELTA quick connector (iii) Sternal extender for moving the connection point outside the B.R. vest / Tactical vest (iv) Dorsal attachment point for lanyard connecting to extraction system (v) Comfort foam on leg loops with adjustable position for added comfort during insertion or extraction (vi) Two equipment loops on hips (vii) Two accessory loops on shoulder straps (viii) Webbing joining the leg loops to creat attachment point for suspending load while rappelling (ix) Color: Black.	
30.	Tasers	200	 (i) 50,000 Volt (est.); 26 Watts; 162mA (Irms) and 1.76 Joules per pulse energy (ii) Power Input: 12 VDC: 4-6 A (iii) Power Supply: 8 AA Nickel Metal Hydride (NiMH) 1.2-Volt rechargeable batteries or hi-output 1.5 Volt alkaline batteries, self-contained inside polyethylene battery tray, with reverse insertion prevention feature (iv) Aiming Mechanism: (a) Mechanical - High visibility red LED calibrated for alkaline batteries (b) Optical - Left and right side yellow polycarbonate decals with P.S.A. that adheres to sides of the weapon, in order to mark it as less-lethal (v) Housing: 21-foot and 15-foot interchangeable cartridges made of polycarbonate plastic using 1800 P.S.I. compressed nitrogen. Wire is proprietary insulated copper-clad steel (vi) MOLLE Holster. 	