

**OFFICE OF THE ADDITIONAL DIRECTOR GENERAL OF POLICE::  
SPECIAL BRANCH :: MEGHALAYA :: SHILLONG**

**SHORT TENDER NOTICE (NIT)**

**MPF 2009-2010**

Sealed tender affixing non-refundable Court Fee Stamp as under:

**Where the tender value:**

- (a) Not exceeding Rs. 5,000/- = Rs. 25/- only
- (b) Exceeding Rs. 5,000/- but not exceeding Rs. 50,000/- only. = Rs.50/-only
- (c) Exceeding Rs. 50,000/- but not exceeding Rs. 1, 00,000/- only = Rs.100/- only.
- (d) Exceeding Rs. 1, 00,000/- but not exceeding Rs. 5, 00,000/- only= Rs.200/- only.
- (e) Exceeding Rs. 5, 00,000/- but not exceeding Rs. 15, 00,000/- only= Rs.300/- only.
- (f) Exceeding Rs. 15, 00,000/-but not exceeding Rs.25, 00,000/- only= Rs.400/- only.
- (g) Exceeding Rs.25,00,000/-but not exceeding Rs.1,00,00,000/-only= Rs.1000/- only
- (h) Exceeding Rs.1,00,00,000/- -----only = Rs.2000/ only

are hereby invited from a bonafide, established, reputed manufacturers, registered intending firms and supplier(s) for entering into rate contract for supply of Security/BDD equipments under Modernization Scheme 2009-2010 as per list at Annexure " A ", and terms and conditions as laid down in the Tender Notice. Tender should be in 2 (two) Bids system i.e.

- i) Technical Bid and**
- ii) Price Bid**

**1. Terms and Conditions:**

Items offered must be of a reputed company/manufacturer and should meet with all the prescribed Technical Specifications as given in Annexure" B". Tender should be accompanied with catalogues/Brochures/ warranty/guarantee and will be received up to 1200 hrs on the **20<sup>th</sup> June, 2017 (Tuesday)** by hand or by post. The tenders will be opened on the same day at **1500 hrs**. Tenderers or their authorized representatives are invited to be present at the time of opening the tenders.

**2. (i) Tender must be accompanied with the following documents in Technical Bid**

- a) Affixed non-refundable court fee stamp as required above.
- b) Authenticated copy of rate contract with DGS & D if tenders have any existing and valid rate contract with DGS & D.
- c) Attested Passport Size photograph of the bidder.
- d) Authenticated copy of authorised Dealership Certificate from the Manufacturers or Principals who had authorised dealers specifically certifying that the tenderer is authorized to deal with the equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
- e) Attested copy of SC/ST Certificate issued by the concerned competent authority (For Tribal tenderer).
- f) Earnest money at the rate of 5% (Five percent) in case of non-tribal and at the rate of 2 % ( Two percent) in case of tribal from the total value of the items tendered, in any one of the following forms only:

- (i) Crossed bank draft; or,
- (ii) Deposit at Call.
- (iii) NSC.

Payable to 'the Additional Director General of Police, Special Branch, Meghalaya, Shillong, at any Nationalised Bank at Shillong.

- g) Attested copy of valid VAT Clearance Certificate and VAT Registration.TIN of the tenderer should be enclosed.
- h) Financial stability Certificate from any Nationalized Bank or Deputy Commissioner concerned.
- i) Catalogues/Brochures with detailed Technical Specifications from the manufacturers for each item quoted.
- j) Attested copy of valid Professional Tax Clearance Certificate.
- k) **Attested copy of valid Trading Licence from any of the District Councils in Meghalaya, namely (1) Khasi Hills Autonomous District Council (KHADC) (2) Jaintia Hills Autonomous District Council (JHADC) (3) Garo Hills Autonomous District Council (GHADC) will have to be furnished by Non-Tribal and Non- Indigenous Tenderer.**
- l) All documents from Sl No. b to e and g, h, j and k should be duly attested by a Gazetted Officer.

**Note:** - Failure to enclose any one of those above documents or any invalid documents may result in rejection of the tender.

**2. (ii) Tender must be accompanied by the following documents/details in Price Bid :**

- a) **\*Rate of each item quoted indicating all Taxes to be deducted at source should be placed in a separate sealed envelope.**

**3. The following information must be mentioned on the body of the envelope containing the tenders, failing which the sealed envelope of the quoting firm will not be opened:**

- (a) Valid Sales Tax/VAT certificate whatsoever is applicable, \_\_\_\_\_ is enclosed.  
(b) Earnest Money \_\_\_\_\_ is enclosed.  
(c) Court Fees Stamps \_\_\_\_\_ is enclosed.  
(d) Dealership Certificate from the Principal manufacturers. --- is enclosed  
(e) SC/ST Certificate (for Tribal). --- is enclosed  
(f) Passport size photograph of the bidder -is enclosed  
(g) "Technical Bid "on the body of the of the sealed envelope of Technical Bid and  
"Price Bid for.....(name of the item)" on each sealed envelope of item is to be quoted clearly.

**4. Rates quoted:**

- (a) Should be inclusive of all taxes, levies, charges, packing, insurance, taxes and other installation/incidental charges up to the Office of the Additional Director General of Police, Special Branch, Meghalaya, Shillong. Only local taxes should be shown separately, if applicable.
- (b) **Should be inclusive of the cost of all the accessories for each item up to March, 2018.**
- (c) Should be valid for 1 (one) calendar year from the date of acceptance of tender.
- (d) Should be quoted separately for each item and in words and rates should be for 1 (One) item 1 (One) rate basis. **Same items with optional rates and optional quality will not be entertained and will be out rightly rejected.**
- (e) Should be quoted F.O.R. destination, office of the Additional Director General of Police, Special Branch, Meghalaya, Shillong.
- (f) Should be written clearly in figures and in words and all values should be in Indian Currency. Any alterations or over writing must be fully signed by the tenderer along with the name and date.

- (g) Once the rates offered in the tender are accepted, no enhancement will be entertained at any circumstances and tenderers will be liable to supply the items at the rate accepted by the office of the Additional Director General of Police (SB) Meghalaya, Shillong. Failure to supply the items at the accepted rates will entail the offer being cancelled and the Security Money will be forfeited to the Govt. of Meghalaya.
- (h) For import items rate should indicate separately i.e., **rates should be inclusive of all Taxes including Custom duty.**
5. Tenderer must sign in all the pages of the Bid documents (Both Technical and Price Bid) and also to submit the signed Undertaking Certificate at Annexure - 'C', as a proof of the tenderer having fully understood the terms and conditions mentioned in the NIT.
6. Tender/quotation should be addressed to the undersigned by designation and not by name. Sealed envelopes containing the quotation must be super-scribed as, '**Tender for Supply of Equipments for BDD Squads Special Branch Meghalaya for the year, 2009-2010**' and sent by registered post or hand delivery. The tenderer should affix his full address on the left bottom of the envelope containing the tender documents.
7. In no case tenders received after the due date and time shall be accepted and the office of the Additional Director General of Police, Special Branch, Meghalaya, Shillong shall not be responsible for any delay in submission of tender. All Tenders received after the due date and time shall be returned to the respective tenderer without opening the same.
8. Due to any unavoidable reason(s), if the office of the Additional Director General of Police (SB) remains closed on the date prescribed for submission/opening of the tenders, the tenders will be received during the next working day at the same venue and the same timing.
9. **The successful tenderer will be:**
- a)** Intimated by letter of acceptance/ Supply Order by office of the Additional Director General of Police, SB, Meghalaya, Shillong. Till then, no bidder has any right to assume that his/her quotation has been accepted. There shall be no claim for compensation for any expenditure incurred by any tenderer, in anticipation of acceptance/ Supply Order letter.
- b)** Required to furnish a Security Deposit as per rates mentioned below and execute the

Contract Agreement to fulfillment of the terms and conditions of the contract, which successful tender(s) will have to enter into. Such Security Deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the Contract Agreement. The Earnest money of the successful tenderer will not be released till the Security Deposit is furnished. Earnest Money of the successful tenderer(s) will be forfeited to the Govt. of Meghalaya in case of failure to furnish security money.

**10. Rates of Security Deposit in the form of (i) Deposit at call (ii) NSC/KVP (III)**

**Fixed Deposit:-**

- a) For contract up to Rs. 20,000/- ..... 2% from local and 3% from non-local.
- b) For contract up to Rs. 50,000/- ..... 3 % from local and 4 % from non-local.
- c) For contract up to Rs.1,00,000/-.....4 % from local and 5% from non-local.
- d) For contract over to Rs.1,00,000/- ... 10% for all categories.(As per decision of DPB held on 4/4/2009)

11. The office of the Additional Director General of Police, Special Branch, Meghalaya, may rescind forthwith the contract in writing if:

- (a) A contractor assigns or sub-lets any contract in respect of any other entered into with the Government.
- (b) Tenderer or his agent or servants are found guilty of fraud of this contract or any other contract.
- (c) Declines, neglect or delays to comply with demand/requisition or in any other way fails to perform or observe any condition of or all conditions of the Contract Agreement.

12. In case of such rescission, the Security Deposit, in full, shall stand forfeited and absolutely be at the disposal of Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any extra expenses Government may deem necessary in obtaining the supplies.

- i) In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department of disregarding terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the office of the Additional Director General of Police (SB) Meghalaya, Shillong on behalf of the Government of Meghalaya.

- ii) Forfeiture of security deposit in whole or part.
  - iii) Making good the loss caused to the Government through the liability, neglect.
  - iv) Delay in complying with the demand.
  - v) Cancellation of the contract without any prior notice to the contractor.
13. If the successful Tenderers willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the office of the Additional Director General of Police (SB), Meghalaya, Shillong may impose a ban upon such Tender(s) for future business within the Department.
  14. Quantities mentioned in the list are only illustrative and may be increased/ reduced on finalizations of order depending on the availability of fund and actual requirements.
  15. Once the Model is approved, no change of brand name, shape, pattern, quality or specification will be entertained even on the plea on non-availability offer of the same quality or alternative offer of the same quality.
  16. The store supplied must be of the same models/specifications as approved by the Departmental Purchase Board as well as in the Supply order. The office of the Additional Director General of Police (SB) Meghalaya, Shillong reserves the right of non-acceptance of items which are not found as per the prescribed specification.
  17. Delivery & Installation must be completed within 60(Sixty) Days from the date of receipt of firm orders, risk of transportation will be borne by the successful tenders themselves. No extension of delivery period will be entertained.
  18. Payment will be made to the suppliers directly, only on completion of supplies, installation and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/P.R Bills etc. routed through Banks will not be accepted. Consignment will dispatch by the firm after payment of all freight charges at the sources. Freight to pay P.R Bill will not be accepted.
  19. Risk of transportation will be borne by the Tenderer themselves.
  20. Comprehensive onsite warranty should be indicated along with after sale services facilities.
  21. One set of manual of (Instruction and Maintenance) should be supplied free of cost for each item wherever applicable.
  22. The purchase Board reserves the right to reject the lowest rate or any of the tender without

assigning any reason.

23. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the jurisdiction of the Courts in Meghalaya.
24. The items for which the tenderers would be quoting must fulfill the given technical specifications, the samples of which have to be produced at their own cost and free from all liabilities by the tenderers before the Technical Committee for technical evaluation/ vetting at the specified place and time, which will be intimidated to the tenderers. Items which do not fulfill the required specification and not produced before the technical committee will not be accepted.
25. If the trade enquiry reveals that the item being offered is being manufactured by a Public Sector Undertaking (PSU), the Purchase Board reserves the right to reject the tenders and purchase the item directly from the Public Sector Undertaking (PSU).
26. **The Tender should be in 2(two) Bids i.e. (1) Technical Bid and (2) Price Bid.** Tenderer should submit separate sealed cover for Technical Bid and separate for Price Bid. Price Bid should be submitted in a separate sealed cover for each item quoted. Tender Opening Committee of the Office of the Additional Director General of Police, Special Branch, Meghalaya, Shillong will open the Technical bid in the presence of the representatives of the tenderers if any. The Technical Bids will be properly evaluated by the Committee and only that quotations/Bids which fully complies with the terms and conditions prescribed in NIT and also the prescribed Technical Specifications enclosed with the NIT of this office will be accepted. Price Bids of only those Technical Bids which fully conforms to our required Technical specifications will be opened.
27. The tenderer should quote only 1(one) Offer per item, tenderers quoting different options of the same item will be summarily be rejected.

**N.B:** Details can be obtained from the office of the undersigned on any of the working days between 10:00 AM to 4:30 PM. Tenderers are requested to visit [megpolice.gov.in](http://megpolice.gov.in) for details and for downloading of NIT and specifications

Sd/-  
Inspector General of Police (SB),  
Meghalaya, Shillong.


**Copy to:**

1. The Secretary to the Govt. of Meghalaya (Home/Police) Department Shillong for information.
  2. The Assistant Inspector General of Police, (A) Meghalaya, Shillong for information.
  3. The Director Government Press, Meghalaya, Shillong with copies for publication in two consecutive issues of Meghalaya Gazette.
  4. The Director Information & Public Relation with a request to publish a brief gist of the tender notice in one Local Newspaper & National Newspaper (One impression), in brief:
  5. All Superintendents of Police/Commandants, Meghalaya for information and necessary action.
  6. The Superintendent of Police (SCRB), Meghalaya, Shillong, with a request to reflect it in Meghalaya Police Website.
  7. Local firms/ Dealers for information and necessary action.
  8. Notice Board.
- .....

Sd/-  
Special Superintendent of Police, (SB-II),  
Meghalaya, Shillong.



**IMPRINT FOR PUBLICATION IN NEWSPAPERS**



**TENDER NOTICE**

Sealed tenders along with Brouchers /Catalogues for supply of Security items to the O/o the **Additional Director General of Police (SB), Meghalaya, Shillong** for BDD Squads in Meghalaya, Shillong for the year 2009-2010, will be received by the undersigned up to **1200 hrs on the 20<sup>th</sup> June, 2017**, and will be opened on the **same day at 1500 hrs** by the undersigned. Details may be collected from the office of the undersigned on any working days between 10:00 Am to 4:30 Pm.

**Sd/-  
Special Superintendent of Police, (SB-II),  
Meghalaya, Shillong**

**CERTIFICATE OF ACCEPTANCE OF TERMS AND CONDITIONS**  
**(To be furnished along with the tender documents)**

I/We have read and fully understood the terms and conditions as laid down in the NIT. Vide No. MSB/VI/Tech/2009-2010/517 dt. 05/06/2017 in respect of supply of Security equipments to the Office of the Additional Director General of Police, Special Branch, Meghalaya, Shillong due to be opened on 15<sup>th</sup> June, 2017.

I/We agree to abide by the same.

I/ We have signed all the pages of the tender documents as laid down.

Signature and seal of the Tenderer or  
his/her Authorized signatory.

Dated.....

Name .....

Address .....

.....

Phone No.....

## LIST OF EQUIPMENTS PROPOSED TO BE PURCHASED UNDER MPF 2009-2010.

## 1. Buster Kit

Technical Specification of SB/ Headquarters, Meghalaya, Shillong for *Buster Kit (Explosive and Narcotic Density detector)*

S. No.	<u>General description</u>																				
1	<p><b><u>Equipment :</u></b> The equipment should be able to detect abnormal variation in density especially in objects like pipes, vehicle tyres, car doors, fuel tanks etc. Equipment should be user-friendly &amp; easy to understand. The Buster should be dependable, easy to use, light weight and tough on built quality. It should have very low intensity gamma radiation emitter and scintillation detector to quickly scan vehicles or residences for hidden explosives and contraband</p>																				
2.	<p><b><u>Safety :</u></b> Equipment should be Radiation safe for security personnel. The certificate of the same should be submitted from AERB (Atomic Energy Regulatory Board of India) .</p>																				
3.	<p><b><u>Technical Specifications</u></b></p> <table> <tr> <td><b>Depth of reading:</b></td> <td><b><u>Penetration :</u></b> Steel: 06mm or better. Wood: 40 mm or better</td> </tr> <tr> <td><b>Radiation detection and feature:</b></td> <td>Not more than 7.5 micro curies (0.28MBq) to maximum 10 micro curies (0.37MBq))</td> </tr> <tr> <td><b>Scan rate:</b></td> <td>0.3 Seconds per reading or better.</td> </tr> <tr> <td><b>Alarm:</b></td> <td>Audio and Visual</td> </tr> <tr> <td><b>Should have multiple scan modes:</b></td> <td>Raw Data Mode, Data Scan Mode &amp; Zero Scan Mode.</td> </tr> <tr> <td><b>Calibration time:</b></td> <td>should be between 15-30 seconds.</td> </tr> <tr> <td><b>Digital Display:</b></td> <td>Numerical Display should be provided.</td> </tr> <tr> <td><b>Pushbutton:</b></td> <td>for backlight display should be provided.</td> </tr> <tr> <td><b>Low battery indicator:</b></td> <td>should be provided.</td> </tr> <tr> <td><b>Battery pack</b></td> <td>should be easily available in the market</td> </tr> </table>	<b>Depth of reading:</b>	<b><u>Penetration :</u></b> Steel: 06mm or better. Wood: 40 mm or better	<b>Radiation detection and feature:</b>	Not more than 7.5 micro curies (0.28MBq) to maximum 10 micro curies (0.37MBq))	<b>Scan rate:</b>	0.3 Seconds per reading or better.	<b>Alarm:</b>	Audio and Visual	<b>Should have multiple scan modes:</b>	Raw Data Mode, Data Scan Mode & Zero Scan Mode.	<b>Calibration time:</b>	should be between 15-30 seconds.	<b>Digital Display:</b>	Numerical Display should be provided.	<b>Pushbutton:</b>	for backlight display should be provided.	<b>Low battery indicator:</b>	should be provided.	<b>Battery pack</b>	should be easily available in the market
<b>Depth of reading:</b>	<b><u>Penetration :</u></b> Steel: 06mm or better. Wood: 40 mm or better																				
<b>Radiation detection and feature:</b>	Not more than 7.5 micro curies (0.28MBq) to maximum 10 micro curies (0.37MBq))																				
<b>Scan rate:</b>	0.3 Seconds per reading or better.																				
<b>Alarm:</b>	Audio and Visual																				
<b>Should have multiple scan modes:</b>	Raw Data Mode, Data Scan Mode & Zero Scan Mode.																				
<b>Calibration time:</b>	should be between 15-30 seconds.																				
<b>Digital Display:</b>	Numerical Display should be provided.																				
<b>Pushbutton:</b>	for backlight display should be provided.																				
<b>Low battery indicator:</b>	should be provided.																				
<b>Battery pack</b>	should be easily available in the market																				
4.	<p><b><u>Shield :</u></b> Tungsten carbon with stainless steel, provision should be available for safety indicators.</p>																				
5.	<p><b><u>Radiation monitoring:</u></b> Provision for radiation monitoring of the surroundings with display of reading and alarm for hazardous radiation levels and provision for internal leakage monitoring.</p>																				
6.	<p><b><u>Extension Bar:</u></b> A telescopic stick for mounting the “Buster on a stick” with remote display should be provided for scanning hard to reach areas such as the underside of a vehicle.</p>																				

7.	<p><b>Essential Accessories :</b></p> <ul style="list-style-type: none"> <li>a) Carrying case.</li> <li>b) Telescopic stick extender attachments.</li> <li>c) Calibration block.</li> <li>d) Remote display with cable.</li> <li>e) Holster.</li> <li>g) Head set</li> </ul>
8.	<p><b><u>Terms &amp; Condition for After sales/ service maintenance &amp; spares, support &amp; infrastructure for maintenance :</u></b></p> <p>1-The Foreign principal must be the manufacturer and the Indian authorized distributor should be a reputed firm and have a service center In India.</p> <p>2- The quoted Density meter/Contraband Detector should have been supplied for at least 5 Years in India. Supplies should have been made to both central &amp; State security agencies.</p> <p>3 -Should undertake to provide maintenance/spares support for a period of 5 years including guarantee period, on site.</p> <p>4-Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work.</p> <p>5-Should have ready stock of important spare parts.</p> <p>6-Bidders should submit sufficient documents to prove their experience in dealing Of DENSITY METER/ CONTRABAND DETECTOR and its maintenance for a period of minimum 5 years.</p> <p>7- A certificates regarding ‘Safety ‘and ‘Standards’ should be provided</p> <p>8- Warranty should be not less than 2 years.</p> <p>9- AMC terms and conditions after the expiry of warranty period of 2 years should be specified clearly by the firms in their quote.</p>